

The background of the top half of the page is a photograph of a modern, multi-story glass building with a grid-like facade. The building is partially obscured by a semi-transparent grey overlay. In the top left corner, the company logo is displayed.

RE-TECH
瑞钛克

RE-TECH

Product Quick Guide

产品速览手册

常州瑞钛克医疗器械有限公司

Changzhou Ruitike Medical Equipment Co., LTD

RE-TECH

瑞钛克



Since its establishment, the company has been dedicated to the field of oral implantology, providing comprehensive advanced digital dental integrated service solutions, and is committed to offering safe and high-quality products and services to a wide range of dentists and patients.

Excellence and quality: Strive for excellence, ensure product quality, and meet customer expectations.

Innovation and development: Continuously innovate, lead technologies, provide innovative solutions, and meet market demands.

Customer and service: Customer needs are at the center of our actions. We are dedicated to meeting customer demands and providing the best service.

Responsibility and integrity: Adhere to responsibility, be honest and trustworthy, fulfill corporate social responsibility, and win trust.

Cooperation and win-win emphasize teamwork, advocate mutual benefit, grow together, and achieve common goals.

常州瑞钛克医疗器械有限公司

Changzhou Ruitike Medical Equipment Co., LTD

DIRECTPRY

目录

01	COMPANY INTRODUCTION 公司介绍	03-04
02	DEVELOPMENT HISTORY 生产介绍	05
03	BUSINESS INTRODUCE 产品介绍	06-15 16-54 58-68
04	CERTIFICATE INTRODUCTION 证件介绍	69-72
05	ENTERPRISE ADVANTAGES 售后质保	73



RE-TECH

40+

The turning center is equipped with professional imported cutting equipment

30+

Personalized base table cutting and polishing equipment

01 COMPANY INTRODUCTION

Ruitaike Medical Devices Co., Ltd. was established in 2020 and is now located in Building 4, Shibang Industrial Park, Changzhou, Jiangsu Province. The company has a planned production and storage area of nearly 10,000 square meters. The turning center is equipped with over 40 sets of professional imported cutting equipment, more than 30 sets of personalized base table cutting and polishing equipment, and over ten sets of various testing and calibration equipment. It also has a professional digital and intelligent design center and a clean workshop. With visible and tangible equipment, it will safeguard your dental business.

At present, the company integrates multiple capabilities such as design, research and development, production, contract manufacturing, sales, and technology transformation. It is based in the field of domestic repair parts and tool box production, constantly pursuing quality improvement and progress, striving for innovation, and serving clinical customers with high-quality products that are legal and compliant. It aims to be the expert in repair parts production by your side.

The company holds over 20 Class I, Class II and Class III registration certificates, including 5 Class III registration certificates, and has been certified as a high-tech enterprise. Ruitaike constantly adheres to the path of compliant production. At the same time, it is constantly seeking novelty and change, constantly pursuing innovative development, and injecting new impetus into the enterprise's development. During the development of Ruitaike, it has also been earnestly enhancing its brand value. It has been awarded the title of "Science and Technology-based Small and Medium-sized Enterprise of Changzhou City" and obtained the certification of high-tech products. Step by step, it has been forging ahead with determination.

10+

All kinds of testing
and calibration equipment

700Square

Clean workshop

200+


Operation staff

PRODUCTION INTRODUCTION



EXP

Ruitaike has purchased and established a world-class production line. The machine tools are selected from brands such as Swiss **TORNOS** and Japanese **CITIZEN** and **STAR**, fully benchmarking against the production equipment standards of international first-line implant manufacturers to ensure the hard power of product processing.



Quality

Digital and intelligent product inspection, **multi-faceted verification** of product and design requirements, magnified inspection of the smoothness between each thread, individual **fitting tests**, original factory implant matching, ensuring clinical application.



efficiency

Every day, over 70 pieces of equipment are constantly processing and manufacturing. Under full load, it can produce **12,000** high-precision parts of various types daily, with a stable monthly output of **300,000** pieces, effectively meeting the supply of orders across the country.



carefree

We have invested heavily in building advanced **purification workshops and physical and chemical laboratories**, and continuously promoted the improvement of product quality, providing a solid backing for product quality assurance.



Product Introduction

Personalized product series



可切削基台柱

Pre-milled Ti-blanks

National medical device
registration approval : 20223170746



Ruitaike's machinable base columns and screws are all precisely manufactured and have obtained the domestic Class III medical device registration certificate. Customized services can be selected to meet the different needs of the terminal.

Code	Compatible Brands	Name	Specification
11400110	B&B	Pre-milled Ti-blanks	B&B-DUR-M-10C
11400114	B&B	Pre-milled Ti-blanks	B&B-DUR-M-14C
11400210	B&B	Pre-milled Ti-blanks	B&B-DUR-R-10C
11400214	B&B	Pre-milled Ti-blanks	B&B-DUR-R-14C
11405210	B&B	Pre-milled Ti-blanks	B&B-DUR-R-10B
11261110	CONNELOG	Pre-milled Ti-blanks	CONE-SL-3.3-10C
11261210	CONNELOG	Pre-milled Ti-blanks	CONE-SL-3.8-10C
11261310	CONNELOG	Pre-milled Ti-blanks	CONE-SL-4.3-10C
11261410	CONNELOG	Pre-milled Ti-blanks	CONE-SL-5.0-10C
11290110	ICX	Pre-milled Ti-blanks	ICX-templant-R-10C
11290114	ICX	Pre-milled Ti-blanks	ICX-templant-R-14C
11450111	SG	Pre-milled Ti-blanks	SG-S-R-10C I
11450114	SG	Pre-milled Ti-blanks	SG-S-R-14C
11450115	SG	Pre-milled Ti-blanks	SG-S-R-14C I
11360110	SKY	Pre-milled Ti-blanks	SKY-BLUE-R-10C
11360114	SKY	Pre-milled Ti-blanks	SKY-BLUE-R-14C
11365110	SKY	Pre-milled Ti-blanks	SKY-BLUE-R-10B
11365114	SKY	Pre-milled Ti-blanks	SKY-BLUE-R-14B
11550210	艾迪-AIDI	Pre-milled Ti-blanks	AIDI-AIDI-R-10C
11550214	艾迪-AIDI	Pre-milled Ti-blanks	AIDI-AIDI-R-14C
11185110	安克劳斯-Ankylos	Pre-milled Ti-blanks	DSP-ANK-R-10B
11280110	安卓健-Anthogyr	Pre-milled Ti-blanks	ATG-AX-R-10C
11280114	安卓健-Anthogyr	Pre-milled Ti-blanks	ATG-AX-R-14C
11285110	安卓健-Anthogyr	Pre-milled Ti-blanks	ATG-AX-R-10B
11120110	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-M-10C
11120114	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-M-14C
11120210	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-R-10C
11120214	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-R-14C
11125110	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-M-10B
11125114	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-M-14B
11125210	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-R-10B
11125214	奥齿泰-Osstem	Pre-milled Ti-blanks	OSS-TS-R-14B
11620110	百齿泰	Pre-milled Ti-blanks	Master-DMD-N-10C
11620210	百齿泰	Pre-milled Ti-blanks	Master-DMD-R-10C
11350110	百丹特-Biodenta	Pre-milled Ti-blanks	BDT-BL-BO-10C
11350210	百丹特-Biodenta	Pre-milled Ti-blanks	BDT-BL-B1-10C
11350310	百丹特-Biodenta	Pre-milled Ti-blanks	BDT-BL-B2-10C

Code	Compatible Brands	Name	Specification
11300110	百好瑞-Biohorizons	Pre-milled Ti-blanks	BIO-INT-3.0-10C
11300210	百好瑞-Biohorizons	Pre-milled Ti-blanks	BIO-INT-3.5-10C
11300310	百好瑞-Biohorizons	Pre-milled Ti-blanks	BIO-INT-4.5-10C
11225110	百康-Bicon	Pre-milled Ti-blanks	BIC-MAX-20-10B
11225210	百康-Bicon	Pre-milled Ti-blanks	BIC-MAX-25-10B
11225310	百康-Bicon	Pre-milled Ti-blanks	BIC-MAX-30-10B
11510110	百康特-Bioconcept	Pre-milled Ti-blanks	BKT-BV-M-10C
11510210	百康特-Bioconcept	Pre-milled Ti-blanks	BKT-BV-R-10C
11515110	百康特-Bioconcept	Pre-milled Ti-blanks	BKT-BV-M-10B
11515210	百康特-Bioconcept	Pre-milled Ti-blanks	BKT-BV-R-10B
11190110	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-3.25/3.75-10C
11190114	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-3.25/3.75-14C
11190210	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.1-10C
11190214	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.1-14C
11190310	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.5-10C
11190314	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.5-14C
11190410	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-5.5-10C
11190414	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-5.5-14C
11195110	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-3.25/3.75-10B
11195114	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-3.25/3.75-14B
11195210	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.1-10B
11195214	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.1-14B
11195310	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.5-10B
11195314	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-4.5-14B
11195410	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-5.5-10B
11195414	贝格-BEGO	Pre-milled Ti-blanks	BG-SEM-5.5-14B
11500110	大清西格	Pre-milled Ti-blanks	DATS-Lst-M-10C
11500210	大清西格	Pre-milled Ti-blanks	DATS-Lst-R-10C
11520110	丹特因-Dentin	Pre-milled Ti-blanks	Dentin-Rapid-R-10C
11270110	登特斯-Dentist	Pre-milled Ti-blanks	DTS-Sclean-R-10C
11270114	登特斯-Dentist	Pre-milled Ti-blanks	DTS-Sclean-R-14C
11270210	登特斯-Dentist	Pre-milled Ti-blanks	DTS-Sclean-M-10C
11270214	登特斯-Dentist	Pre-milled Ti-blanks	DTS-Sclean-M-14C
11114510	登腾-Dentium	Pre-milled Ti-blanks	DEN-SP-R-10C
11114514	登腾-Dentium	Pre-milled Ti-blanks	DEN-SP-R-14C
11115510	登腾-Dentium	Pre-milled Ti-blanks	DEN-SP-R-10B
11150110	迪耀-DIO	Pre-milled Ti-blanks	DIO-SM-M-10C
11150114	迪耀-DIO	Pre-milled Ti-blanks	DIO-SM-M-14C
11150210	迪耀-DIO	Pre-milled Ti-blanks	DIO-SM-R-10C
11150214	迪耀-DIO	Pre-milled Ti-blanks	DIO-SM-R-14C
11151110	迪耀-DIO	Pre-milled Ti-blanks	DIO-UF-N-10C
11151114	迪耀-DIO	Pre-milled Ti-blanks	DIO-UF-N-14C
11151210	迪耀-DIO	Pre-milled Ti-blanks	DIO-UF-R-10C
11151214	迪耀-DIO	Pre-milled Ti-blanks	DIO-UF-R-14C
11156210	迪耀-DIO	Pre-milled Ti-blanks	DIO-UF-R-10B

Code	Compatible Brands	Name	Specification
11580110	皓圣-Hiossen	Pre-milled Ti-blanks	HIOSS-ET-M-10C
11580114	皓圣-Hiossen	Pre-milled Ti-blanks	HIOSS-ET-M-14C
11580210	皓圣-Hiossen	Pre-milled Ti-blanks	HIOSS-ET-R-10C
11580214	皓圣-Hiossen	Pre-milled Ti-blanks	HIOSS-ET-M-14C
11230110	皆美-Zimmer	Pre-milled Ti-blanks	ZM-TSV-3.5-10C
11230210	皆美-Zimmer	Pre-milled Ti-blanks	ZM-TSV-4.5-10C
11230310	皆美-Zimmer	Pre-milled Ti-blanks	ZM-TSV-5.7-10C
11231110	皆美-Zimmer	Pre-milled Ti-blanks	ZM-C-M-10C
11231114	皆美-Zimmer	Pre-milled Ti-blanks	ZM-C-M-14C
11231210	皆美-Zimmer	Pre-milled Ti-blanks	ZM-C-R-10C
11231214	皆美-Zimmer	Pre-milled Ti-blanks	ZM-C-R-14C
11370110	康盛-Koncen	Pre-milled Ti-blanks	HT-CAN-M-10C
11370114	康盛-Koncen	Pre-milled Ti-blanks	HT-CAN-M-14C
11370210	康盛-Koncen	Pre-milled Ti-blanks	HT-CAN-R-10C
11370214	康盛-Koncen	Pre-milled Ti-blanks	HT-CAN-R-14C
11260110	科美乐-Camlog	Pre-milled Ti-blanks	CAM-SL-3.3-10C
11260210	科美乐-Camlog	Pre-milled Ti-blanks	CAM-SL-3.8-10C
11260310	科美乐-Camlog	Pre-milled Ti-blanks	CAM-SL-4.3-10C
11260410	科美乐-Camlog	Pre-milled Ti-blanks	CAM-SL-5.0-10C
11310110	科特斯-Cortex	Pre-milled Ti-blanks	Cor-Classix-R-10C
11310114	科特斯-Cortex	Pre-milled Ti-blanks	Cor-Classix-R-14C
11611110	利多齿-Leadoss	Pre-milled Ti-blanks	利多齿-Leadoss-BL-M-10C
11611210	利多齿-Leadoss	Pre-milled Ti-blanks	利多齿-Leadoss-BL-R-10C
11200110	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-Anyone-R-10C
11200114	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-Anyone-R-14C
11200210	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-AR-R-10C
11200214	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-AR-R-14C
11200310	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-Anyone-M-10C
11200314	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-Anyone-M-14C
11201110	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-EZ PLUS-N-10C
11201114	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-EZ PLUS-N-14C
11201210	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-EZ PLUS-R/W-10C
11205110	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-Anyone-R-10B
11205114	美格真-MEGAGEN	Pre-milled Ti-blanks	MG-Anyone-R-14B
11480110	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-TL-R-10C
11481110	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-BL-R-10C
11480114	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-TL-R-14C
11481114	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-BL-R-14C
11485110	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-TL-R-10B
11485114	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-TL-R-14B
11486110	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-BL-R-10B
11486114	美佳境T-Plus	Pre-milled Ti-blanks	Tistar-BL-R-14B
11482110	美佳境T-Plus	Pre-milled Ti-blanks	T-Plus-A-R-10C

Code	Compatible Brands	Name	Specification
11250110	密斯-MIS	Pre-milled Ti-blanks	MS-SV-N-10C
11250210	密斯-MIS	Pre-milled Ti-blanks	MS-SV-S-10C
11250310	密斯-MIS	Pre-milled Ti-blanks	MS-SV-W-10C
11590110	尼奥斯-Neoss	Pre-milled Ti-blanks	NEOSS-US-NP-10C
11590210	尼奥斯-Neoss	Pre-milled Ti-blanks	NEOSS-US-SP-10C
11595110	尼奥斯-Neoss	Pre-milled Ti-blanks	NEOSS-US-NP-10B
11320110	纽白特-NeoBiotech	Pre-milled Ti-blanks	NEO-IS-R-10C
11320114	纽白特-NeoBiotech	Pre-milled Ti-blanks	NEO-IS-R-14C
11325110	纽白特-NeoBiotech	Pre-milled Ti-blanks	NEO-IS-R-10B
11140110	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-N-10C
11140114	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-N-14C
11140210	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-R-10C
11140214	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-R-14C
11140310	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-3.0-10C
11141110	诺保科-Nobel	Pre-milled Ti-blanks	NOB-REP-N-10C
11141114	诺保科-Nobel	Pre-milled Ti-blanks	NOB-REP-N-14C
11141210	诺保科-Nobel	Pre-milled Ti-blanks	NOB-REP-R-10C
11141214	诺保科-Nobel	Pre-milled Ti-blanks	NOB-REP-R-14C
11141310	诺保科-Nobel	Pre-milled Ti-blanks	NOB-REP-W5.0-10C
11141410	诺保科-Nobel	Pre-milled Ti-blanks	NOB-REP-W6.0-10C
11145110	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-N-10B
11145210	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-R-10B
11145214	诺保科-Nobel	Pre-milled Ti-blanks	NOB-ATV-R-14B
11470110	全球安联-Alliance	Pre-milled Ti-blanks	ALLIAN-SBII-M-10C
11470210	全球安联-Alliance	Pre-milled Ti-blanks	ALLIAN-SBII-R-10C
11560110	儒伽-ZUGA	Pre-milled Ti-blanks	ZUGA-ISK-R-10C
11540110	瑞西欧-HT	Pre-milled Ti-blanks	Ratio-HT-R-10C
11540210	瑞西欧-HT	Pre-milled Ti-blanks	Ratio-HT-M-10C
11540310	瑞西欧-HT	Pre-milled Ti-blanks	Ratio-HT-W-10C
11170110	赛弗-Xive	Pre-milled Ti-blanks	DSP-XV-3.0-10C
11170210	赛弗-Xive	Pre-milled Ti-blanks	DSP-XV-3.4-10C
11170310	赛弗-Xive	Pre-milled Ti-blanks	DSP-XV-3.8-10C
11170410	赛弗-Xive	Pre-milled Ti-blanks	DSP-XV-4.5-10C
11170510	赛弗-Xive	Pre-milled Ti-blanks	DSP-XV-5.5-10C
11130110	Straumann	Pre-milled Ti-blanks	STR-TL-R-10C
11130114	Straumann	Pre-milled Ti-blanks	STR-TL-R-14C
11130210	Straumann	Pre-milled Ti-blanks	STR-TL-W-10C
11130214	Straumann	Pre-milled Ti-blanks	STR-TL-W-14C
11131110	Straumann	Pre-milled Ti-blanks	STR-BL-N-10C
11131114	Straumann	Pre-milled Ti-blanks	STR-BL-N-14C
11131210	Straumann	Pre-milled Ti-blanks	STR-BL-R-10C
11131214	Straumann	Pre-milled Ti-blanks	STR-BL-R-14C

Code	Compatible Brands	Name	Specification
11132110	Straumann	Pre-milled Ti-blanks	STR-BLX-RB-10C
11132114	Straumann	Pre-milled Ti-blanks	STR-BLX-RB-14C
11135110	Straumann	Pre-milled Ti-blanks	STR-TL-R-10B
11135210	Straumann	Pre-milled Ti-blanks	STR-TL-W-10B
11136110	Straumann	Pre-milled Ti-blanks	STR-BL-N-10B
11136114	Straumann	Pre-milled Ti-blanks	STR-BL-N-14B
11136210	Straumann	Pre-milled Ti-blanks	STR-BL-R-10B
11136214	Straumann	Pre-milled Ti-blanks	STR-BL-R-14B
11420110	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-M-10C
11420114	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-M-14C
11420210	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-R-10C
11420214	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-R-14C
11425110	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-M-10B
11425114	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-M-14B
11425210	仕诺康-SNUC	Pre-milled Ti-blanks	SNU-AF-R-10B
11210110	拓美-Thommen	Pre-milled Ti-blanks	TOM-SPI-3.5-10C
11210210	拓美-Thommen	Pre-milled Ti-blanks	TOM-SPI-4.0-10C
11210310	拓美-Thommen	Pre-milled Ti-blanks	TOM-SPI-4.5-10C
11210410	拓美-Thommen	Pre-milled Ti-blanks	TOM-SPI-5.0-10C
11210510	拓美-Thommen	Pre-milled Ti-blanks	TOM-SPI-6.0-10C
11380110	威高-WEGO	Pre-milled Ti-blanks	WEGO-WEG-3.4-10C
11380114	威高-WEGO	Pre-milled Ti-blanks	WEGO-WEG-3.4-14C
11380210	威高-WEGO	Pre-milled Ti-blanks	WEGO-WEG-3.8-10C
11380214	威高-WEGO	Pre-milled Ti-blanks	WEGO-WEG-3.8-14C
11490110	沃兰-沃兰-Warantec	Pre-milled Ti-blanks	沃兰-Warantec-IT-R-10C
11490114	沃兰-沃兰-Warantec	Pre-milled Ti-blanks	沃兰-Warantec-IT-R-14C
11495110	沃兰-沃兰-Warantec	Pre-milled Ti-blanks	沃兰-Warantec-WAR-R-10B
11495114	沃兰-沃兰-Warantec	Pre-milled Ti-blanks	沃兰-Warantec-WAR-R-14B
11410110	西傲-CLC	Pre-milled Ti-blanks	CLC-Conic-R-10C
11430110	西泰克-C-TECH	Pre-milled Ti-blanks	CT-EL-R-10C
11430114	西泰克-C-TECH	Pre-milled Ti-blanks	CT-EL-R-14C
11435110	西泰克-C-TECH	Pre-milled Ti-blanks	CT-EL-R-10B
11530110	熙直美-CSM	Pre-milled Ti-blanks	CSM-CS-M-10C
11530210	熙直美-CSM	Pre-milled Ti-blanks	CSM-CS-R-10C
11240110	喜客-SIC	Pre-milled Ti-blanks	SIC-ace/max-3.3-10C
11240114	喜客-SIC	Pre-milled Ti-blanks	SIC-ace/max-3.3-14C
11240210	喜客-SIC	Pre-milled Ti-blanks	SIC-ace/max-4.2-10C
11240214	喜客-SIC	Pre-milled Ti-blanks	SIC-ace/max-4.2-14C

Code	Compatible Brands	Name	Specification
11330110	雅定-ADIN	Pre-milled Ti-blanks	AD-ISF-R-10C
11330114	雅定-ADIN	Pre-milled Ti-blanks	AD-ISF-R-14C
11330210	雅定-ADIN	Pre-milled Ti-blanks	ADIN-2.75-10C
11330310	雅定-ADIN	Pre-milled Ti-blanks	ADIN-3.0-10C
11335110	雅定-ADIN	Pre-milled Ti-blanks	AD-ISF-R-10B
11340110	雅植-ABT	Pre-milled Ti-blanks	AP-DFI-R-10C
11340114	雅植-ABT	Pre-milled Ti-blanks	AP-DFI-R-14C
11460110	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-R-10C
11460114	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-R-14C
11460210	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-M-10C
11460214	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-M-14C
11465110	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-R-10B
11465114	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-R-14B
11465210	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-M-10B
11465214	伊诺-INNO	Pre-milled Ti-blanks	INNO-INO-M-14B
11640110	祯诺-ZENOIS	Pre-milled Ti-blanks	ZENOIS-GX-M-10C
11640210	祯诺-ZENOIS	Pre-milled Ti-blanks	ZENOIS-GX-R-10C
11645110	祯诺-ZENOIS	Pre-milled Ti-blanks	ZENOIS-GX-M-10B
11645210	祯诺-ZENOIS	Pre-milled Ti-blanks	ZENOIS-GX-R-10B
11680110	中科安齿-CASANGELS	Pre-milled Ti-blanks	CASANGELS-AI-N-10C

个性化产品


Personalized products




Ruitaike's personalized base platforms, personalized bridge frames and rod clamps have also completed the national Class III medical device registration. They can be customized according to the terminal design plan, with sufficient production capacity, effectively solving the problems of insufficient production capacity and delayed delivery in other small factories.

We use high-precision large-scale cutting equipment to ensure product quality and output, guarantee the timeliness and compliance of orders, and provide titanium disc raw materials of various sizes for convenient processing and use.

When customers place orders under the relevant categories on the (Hengjiu) software page, the factory backend will receive the relevant orders, which will involve personalized base platforms, brand interfaces of bridge frames, tooth position information, and design data information of the products to be made. The specific classification is selected according to the actual required categories.



During cutting, depending on the actual situation, it can be divided into conventional personalized base tables and non-standard personalized base tables (i.e., products whose length or diameter exceeds the machinable range of titanium columns). The regular personalized base table will be fabricated on a small cutting machine using titanium columns with corresponding interfaces. The oversized personalized base table will be fabricated in large cutting equipment using titanium discs and bridge frames together.



All products will undergo a simple proofreading with the design documents before leaving the factory to ensure consistency in appearance. Then, functional and channel tests will be conducted. After completion, they will be packaged and dispatched.

The personalized base platform products will come with one warranty card, one finished base platform, one technician screw and one clinical screw in the packaging bag. The materials and processes of the screws are the same, and there will be a certificate of conformity label pasted on the back.

Note:

Orders placed before 12:00 noon on the same day can be dispatched on the same day under normal circumstances. Orders placed after 12:00 noon will be dispatched the next day.

Compatible with multiple implant systems

A large number of cutting machines are working simultaneously, and the goods are delivered on time

It is equipped with UDI code identification, making the entire process traceable

Customized services, multiple cooperation models, and greater flexibility

Compatible brand

Dentium	Osstem	Nobel	ITI	DIO	Astra	Xive	Ankylos	BEGO
MEGAGEN	thommen	Bicon	Zimmer	SIC	MIS	Camlog	Dentist	ICX
BioHorizons	Anthogyr	Cortex	NeoBiotech	ADIN	ABT	Biodenta	SKY	CANSUN
inno	SG	AB	C-TECH	SNUC	CLC	B&B	3I	Wego
Alliance	T-plus	WARANTEC	Datsing	Bioconcept	Dentin	CSMII	HT	ZUGA
Hiossen	Neoss	Leadoss	DentalMaster	ZENOIS	CASANGELS			



Product Introduction

Implant Restoration Accessories



数字化产品

Digital product



Ruitaike digital repair accessories offer a wide range of compatible models, accurate data package matching, and are three-in-one products with extensive practicality. They optimize the patient experience and enhance the accuracy of mold taking.

Code	Compatible Brands	Name	Specification
61060101	Dentium	Scan Body	DEN-SP-R-I ϕ 4.5 $\times$ GH2.0
61060102	Dentium	Scan Body	DEN-SP-R-I ϕ 4.5 $\times$ GH4.0
61060103	Dentium	Scan Body	DEN-SP-R-I ϕ 4.5 $\times$ GH6.0
61060104	Dentium	Scan Body	DEN-SP-R-I ϕ 5.5 $\times$ GH2.0
61060105	Dentium	Scan Body	DEN-SP-R-I ϕ 5.5 $\times$ GH4.0
61060106	Dentium	Scan Body	DEN-SP-R-I ϕ 5.5 $\times$ GH6.0
61060107	Dentium	Scan Body	DEN-SP-R-I ϕ 6.5 $\times$ GH2.0
61060108	Dentium	Scan Body	DEN-SP-R-I ϕ 6.5 $\times$ GH4.0
61060109	Dentium	Scan Body	DEN-SP-R-I ϕ 6.5 $\times$ GH6.0
61060110	Dentium	Scan Body	DEN-SP-R-I ϕ 4.5 $\times$ GH7.0
61060145	Dentium	Scan Body	Multi Unit DEN-SP-I ϕ 4.5
61060155	Dentium	Scan Body	Multi Unit DEN-SP-I ϕ 5.5
76110311	Dentium	Scan Body	DEN-SP-R-III
76110411	Dentium	Scan Body	DEN-SP-R-VI H=10
76117101	Dentium	Scan Body	Multi Unit DEN-SP-I ϕ 4.5 Crossbar
76127102	Dentium	Scan BodyCrossbar1	Multi Unit DEN-SP-I ϕ 4.5 Crossbar L=10
76127103	Dentium	Scan BodyCrossbar2	Multi Unit DEN-SP-I ϕ 4.5 Crossbar L=15
76127104	Dentium	Scan BodyCrossbar3	Multi Unit DEN-SP-I ϕ 4.5 Crossbar L=20
76117102	Dentium	Scan Body	Multi Unit DEN-SP-I ϕ 5.5 Crossbar
61010112	Dentium	Digital Analog	DEN-SP-45-II
61010114	Dentium	Digital Analog	DEN-SP-45-IV
61010102	Dentium	Digital Analog	DEN-SP-40-II
61011104	Dentium	Digital Analog	DEN-SP-40-IV
61011192	Dentium	Digital Analog	Multi Unit DEN ϕ 4.5 II
61060301	Straumann	Scan Body	STR-BL-N-I ϕ 4.0 $\times$ GH3.0
61060302	Straumann	Scan Body	STR-BL-N-I ϕ 4.0 $\times$ GH5.0
61060303	Straumann	Scan Body	STR-BL-N-I ϕ 4.0 $\times$ GH7.0
61060305	Straumann	Scan Body	STR-BL-N-I ϕ 5.0 $\times$ GH4.0
61060306	Straumann	Scan Body	STR-BL-N-I ϕ 5.0 $\times$ GH6.0
61060311	Straumann	Scan Body	STR-BL-R-I ϕ 4.5 $\times$ GH2.0
61060312	Straumann	Scan Body	STR-BL-R-I ϕ 4.5 $\times$ GH4.0
61060313	Straumann	Scan Body	STR-BL-R-I ϕ 4.5 $\times$ GH6.0
61060314	Straumann	Scan Body	STR-BL-R-I ϕ 5.5 $\times$ GH2.0
61060315	Straumann	Scan Body	STR-BL-R-I ϕ 5.5 $\times$ GH4.0
61060316	Straumann	Scan Body	STR-BL-R-I ϕ 5.5 $\times$ GH6.0
61060317	Straumann	Scan Body	STR-BL-R-I ϕ 6.5 $\times$ GH2.0
61060318	Straumann	Scan Body	STR-BL-R-I ϕ 6.5 $\times$ GH4.0
61060319	Straumann	Scan Body	STR-BL-R-I ϕ 6.5 $\times$ GH6.0
61060346	Straumann	Scan Body	Multi Unit STR-BL-I ϕ 4.6
61161302	Straumann	Scan Body	STR-TL-R-III
61161303	Straumann	Scan Body	STR-TL-W-III
61161311	Straumann	Scan Body	STR-BL-N-III
61161312	Straumann	Scan Body	STR-BL-R-III
76130105	Straumann	Scan Body	STR-TL-R-V
76130205	Straumann	Scan Body	STR-TL-W-V
76137102	Straumann	Scan Body	Multi Unit STR-BL-I ϕ 4.6 Crossbar
76137101	Straumann	Scan Body	Multi Unit STR-BL-I ϕ 3.5 Crossbar
61010302	Straumann	Digital Analog	STR-TL-RN-II
61010312	Straumann	Digital Analog	STR-TL-WN-II
61010322	Straumann	Digital Analog	STR-BL-NC-II
61010324	Straumann	Digital Analog	STR-BL-NC-IV
61010332	Straumann	Digital Analog	STR-BL-RC-II
61010334	Straumann	Digital Analog	STR-BL-RC-IV
61010335	Straumann	Digital Analog	STR-BL-RC-V
61011304	Straumann	Digital Analog	STR-TL-RN-IV
61011305	Straumann	Digital Analog	STR-TL-RN-V
61011314	Straumann	Digital Analog	STR-TL-WN-IV
61011315	Straumann	Digital Analog	STR-TL-WN-V
61011347	Straumann	Digital Analog	BL Multi Unit ϕ 4.6-II

Code	Compatible Brands	Name	Specification
61060701	Nobel	Scan Body	NOB-ATV-N-I ϕ 4.0 $\times$ GH3.0
61060702	Nobel	Scan Body	NOB-ATV-N-I ϕ 4.0 $\times$ GH5.0
61060703	Nobel	Scan Body	NOB-ATV-N-I ϕ 4.0 $\times$ GH7.0
61060704	Nobel	Scan Body	NOB-ATV-N-I ϕ 5.0 $\times$ GH2.0
61060705	Nobel	Scan Body	NOB-ATV-N-I ϕ 5.0 $\times$ GH4.0
61060706	Nobel	Scan Body	NOB-ATV-N-I ϕ 5.0 $\times$ GH6.0
61060711	Nobel	Scan Body	NOB-ATV-R-I ϕ 4.5 $\times$ GH2.0
61060712	Nobel	Scan Body	NOB-ATV-R-I ϕ 4.5 $\times$ GH4.0
61060713	Nobel	Scan Body	NOB-ATV-R-I ϕ 4.5 $\times$ GH6.0
61060714	Nobel	Scan Body	NOB-ATV-R-I ϕ 5.5 $\times$ GH2.0
61060715	Nobel	Scan Body	NOB-ATV-R-I ϕ 5.5 $\times$ GH4.0
61060716	Nobel	Scan Body	NOB-ATV-R-I ϕ 5.5 $\times$ GH6.0
61060717	Nobel	Scan Body	NOB-ATV-R-I ϕ 6.5 $\times$ GH2.0
61060718	Nobel	Scan Body	NOB-ATV-R-I ϕ 6.5 $\times$ GH4.0
61060719	Nobel	Scan Body	NOB-ATV-R-I ϕ 6.5 $\times$ GH6.0
76140301	Nobel	Scan Body	NOB-ATV-N-III
76140311	Nobel	Scan Body	NOB-ATV-R-III
61010702	Nobel	Digital Analog	NOB-ATV-NP-II
61010712	Nobel	Digital Analog	NOB-ATV-RP-II
61011404	Nobel	Digital Analog	NOB-ATV-NP-IV
61011405	Nobel	Digital Analog	NOB-ATV-NP-V
61011414	Nobel	Digital Analog	NOB-ATV-RP-IV
61011415	Nobel	Digital Analog	NOB-ATV-RP-V
61060201	Osstem	Scan Body	OSS-TS-M-I ϕ 4.0 $\times$ GH3.0
61060202	Osstem	Scan Body	OSS-TS-M-I ϕ 4.0 $\times$ GH5.0
61060203	Osstem	Scan Body	OSS-TS-M-I ϕ 4.0 $\times$ GH7.0
61060211	Osstem	Scan Body	OSS-TS-R-I ϕ 4.5 $\times$ GH2.0
61060212	Osstem	Scan Body	OSS-TS-R-I ϕ 4.5 $\times$ GH4.0
61060213	Osstem	Scan Body	OSS-TS-R-I ϕ 4.5 $\times$ GH6.0
61060214	Osstem	Scan Body	OSS-TS-R-I ϕ 5.5 $\times$ GH2.0
61060215	Osstem	Scan Body	OSS-TS-R-I ϕ 5.5 $\times$ GH4.0
61060216	Osstem	Scan Body	OSS-TS-R-I ϕ 5.5 $\times$ GH6.0
61060217	Osstem	Scan Body	OSS-TS-R-I ϕ 6.5 $\times$ GH2.0
61060218	Osstem	Scan Body	OSS-TS-R-I ϕ 6.5 $\times$ GH4.0
61060219	Osstem	Scan Body	OSS-TS-R-I ϕ 6.5 $\times$ GH6.0
61060220	Osstem	Scan Body	OSS-TS-R-I ϕ 4.5 $\times$ GH7.0
61060248	Osstem	Scan Body	Multi Unit OSS-TS-I ϕ 4.8
61161214	Osstem	Scan Body	OSS-TS-M-II GH=4
61161224	Osstem	Scan Body	OSS-TS-R-II GH=4
76127101	Osstem	Scan Body	Multi Unit OSS-TS-I ϕ 4.8 Crossbar
61010202	Osstem	Digital Analog	OSS-TS-M-II
61010204	Osstem	Digital Analog	OSS-TS-M-IV
61010212	Osstem	Digital Analog	OSS-TS-R-II
61010214	Osstem	Digital Analog	OSS-TS-R-IV
61011202	Osstem	Digital Analog	OSS-TS-M-II
61011204	Osstem	Digital Analog	OSS-TS-M-IV
61011292	Osstem	Digital Analog	Multi Unit OSS ϕ 4.8 II

Standard fittings

标准配件



Ruitaike digital repair accessories offer a wide range of compatible models, accurate data package matching, and are three-in-one products with extensive practicality. They optimize the patient experience and enhance the accuracy of mold taking.

Code	Compatible brand	Product Name	Specification
12121401b	奥齿泰-Osstem	Cover Screw	Regular, Short, H=0.4
12121402b	奥齿泰-Osstem	Cover Screw	Regular, Long, H=2.0
12123501b	奥齿泰-Osstem	Cover Screw	Narrow, Short, H=0.4
13120403b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.0 H=3
13120404b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.0 H=4
13120405b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.0 H=5
13120406b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.0 H=6
13120407b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.0 H=7
13120409b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.0 H=9
13120453b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.5 H=3
13120454b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.5 H=4
13120455b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.5 H=5
13120456b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.5 H=6
13120457b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.5 H=7
13120459b	奥齿泰-Osstem	Healing Abutment	Narrow, ϕ 4.5 H=9
13121403b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.0 H=3
13121404b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.0 H=4
13121405b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.0 H=5
13121406b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.0 H=6
13121407b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.0 H=7
13121409b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.0 H=9
13121453b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.5 H=3
13121454b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.5 H=4
13121455b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.5 H=5
13121456b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.5 H=6
13121457b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.5 H=7
13121459b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 4.5 H=9
13121503b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 5.0 H=3
13121504b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 5.0 H=4
13121505b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 5.0 H=5
13121506b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 5.0 H=6
13121507b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 5.0 H=7
13121509b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 5.0 H=9
13121603b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 6.0 H=3
13121604b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 6.0 H=4
13121605b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 6.0 H=5
13121606b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 6.0 H=6
13121607b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 6.0 H=7
13121609b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 6.0 H=9
13121703b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 7.0 H=3
13121704b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 7.0 H=4
13121705b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 7.0 H=5
13121706b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 7.0 H=6
13121707b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 7.0 H=7
13121709b	奥齿泰-Osstem	Healing Abutment	Regular, ϕ 7.0 H=9
14120201b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=1.0 H=5.5 Hexagon
14120202b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=2.0 H=5.5 Hexagon
14120203b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=3.0 H=5.5 Hexagon
14120204b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=4.0 H=5.5 Hexagon
14120205b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=5.0 H=5.5 Hexagon
14120300b	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=1.0 H=5.5 Hexagon
14120301b	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=2.0 H=5.5 Hexagon
14120302b	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=3.0 H=5.5 Hexagon
14120303b	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=4.0 H=5.5 Hexagon
14120304b	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=5.0 H=5.5 Hexagon
14120309b	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=5.0 H=5.5 Non-Hexagon
14120320b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=1.0 H=5.5 Hexagon
14120321b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=2.0 H=5.5 Hexagon
14120322b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=3.0 H=5.5 Hexagon
14120323b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=4.0 H=5.5 Hexagon

Code	Compatible brand	Product Name	Specification
14120324b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=5.0 H=5.5 Hexagon
14120326b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=2.0 H=5.5 Non-Hexagon
14120330b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=1.0 H=7.0 Hexagon
14120331b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=2.0 H=7.0 Hexagon
14120332b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=3.0 H=7.0 Hexagon
14120333b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=4.0 H=7.0 Hexagon
14120334b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=5.0 H=7.0 Hexagon
14120338	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=4.0 H=7.0 Non-Hexagon
14120339	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=5.0 H=7.0 Non-Hexagon
14120350b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=1.0 H=5.5 Hexagon
14120351b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=2.0 H=5.5 Hexagon
14120352b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=3.0 H=5.5 Hexagon
14120353b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=4.0 H=5.5 Hexagon
14120354b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=5.0 H=5.5 Hexagon
14120360b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=1.0 H=7.0 Hexagon
14120361b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=2.0 H=7.0 Hexagon
14120362b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=3.0 H=7.0 Hexagon
14120363b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=4.0 H=7.0 Hexagon
14120364b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=5.0 H=7.0 Hexagon
14120401b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=2.0 H=8.0 17° HexagonA
14120402b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=2.0 H=8.0 17° HexagonB
14120404b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=4.0 H=8.0 17° HexagonA
14120405b	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.5 GH=4.0 H=8.0 17° HexagonB
14120501b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=2.0 H=8.0 17° HexagonA
14120502b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=2.0 H=8.0 17° HexagonB
14120504b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=4.0 H=8.0 17° HexagonA
14120505b	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=4.0 H=8.0 17° HexagonB
14120506	奥齿泰-Osstem	Abutment	Regular, ϕ 5.0 GH=4.0 H=8.0 17° Non-Hexagon
14120507b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=2.0 H=8.0 17° HexagonA
14120508b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=2.0 H=8.0 17° HexagonB
14120510b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=4.0 H=8.0 17° HexagonA
14120511b	奥齿泰-Osstem	Abutment	Regular, ϕ 6.0 GH=4.0 H=8.0 17° HexagonB
14121043	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.0 GH=3.0 Free form Abutment
14129901	奥齿泰-Osstem	Abutment	Narrow, ϕ 4.0 GH=1.0 Hexagon Temporary Cylinder
14129902	奥齿泰-Osstem	Abutment	Regular, ϕ 4.5 GH=1.0 Hexagon Temporary Cylinder
15120101b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=1.0 0°
15120102b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=2.0 0°
15120103b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=3.0 0°
15120104b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=4.0 0°
15120105b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=5.0 0°
15120106b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=6.0 0°
15120121b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=2.5 17°
15120122b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=3.0 17°
15120123b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=4.0 17°
15120124b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=5.0 17°
15120141b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=3.5 30°
15120142b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=4.0 30°
15120143b	奥齿泰-Osstem	Abutment System-Abutment	Narrow, ϕ 4.8 GH=5.0 30°
15120201b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=1.0 0°
15120202b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=2.0 0°
15120203b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=3.0 0°
15120204b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=4.0 0°
15120205b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=5.0 0°
15120207b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=7.0 0°
15120211b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=2.5 17°
15120212b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=3.0 17°
15120213b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=4.0 17°
15120214b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=5.0 17°
15120221b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=3.5 30°
15120222b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=4.0 30°
15120223b	奥齿泰-Osstem	Abutment System-Abutment	Regular, ϕ 4.8 GH=5.0 30°
16124801	奥齿泰-Osstem	Abutment System-Healing Cap	ϕ 4.8 L=4.6

Code	Compatible brand	Product Name	Specification
12130235b	士卓曼-ITI	Cover Screw	H=0
12131100b	士卓曼-ITI	Cover Screw	H=0
12131105b	士卓曼-ITI	Cover Screw	H=0.5
12131200b	士卓曼-ITI	Cover Screw	H=0
12131205b	士卓曼-ITI	Cover Screw	H=0.5
13130152b	士卓曼-ITI	Healing Abutment	φ 5.5 H=2mm
13130153b	士卓曼-ITI	Healing Abutment	φ 5.5 H=3mm
13130154b	士卓曼-ITI	Healing Abutment	φ 5.5 H=4.5mm
13131101b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.5 H=2mm
13131102b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.5 H=6mm
13131103b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.5 H=8mm
13131104b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.5 H=10mm
13131142b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 3.6 H2
13131144b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 3.6 H3.5
13131145b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 3.6 H5
13131152b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.8 H2
13131154b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.8 H3.5
13131155b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 4.8 H5
13131156b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 5.0 H=6mm
13131158b	士卓曼-ITI	Healing Abutment	BL NC Conical φ 5.0 H=8mm
13131201b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 4.5 H=8mm
13131202b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 4.5 H=10mm
13131203b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 5.0 H=8mm
13131242b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 4.5 H=2
13131244b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 4.5 H=4
13131246b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 4.5 H=6
13131252b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 5.0 H=2
13131254b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 5.0 H=4
13131256b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 5.0 H=6
13131262b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 6.0 H=2
13131264b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 6.0 H=4
13131266b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 6.0 H=6
13131272b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 6.5 H=2
13131274b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 6.5 H=4
13131276b	士卓曼-ITI	Healing Abutment	BL RC Conical φ 6.5 H=6
14130101	士卓曼-ITI	Abutment	BL NC Temporary Abutment
14130302b	士卓曼-ITI	Abutment	BL NC Aesthetics 0° φ 4.3 GH=2 Anatomical abutment
14130303b	士卓曼-ITI	Abutment	BL NC Aesthetics 0° φ 4.3 GH=3.5 Anatomical abutment
14130312b	士卓曼-ITI	Abutment	BL NC Aesthetics 15° φ 4.3 GH=2 Anatomical abutment
14130313b	士卓曼-ITI	Abutment	BL NC Aesthetics 15° φ 4.3 GH=3.5 Anatomical abutment
14130314	士卓曼-ITI	Abutment	BL NC Bonding φ 3.5 H=4 GH=1.0
14130315	士卓曼-ITI	Abutment	BL NC Bonding φ 3.5 H=4 GH=2.0
14130316	士卓曼-ITI	Abutment	BL NC Bonding φ 3.5 H=4 GH=3.0
14130317	士卓曼-ITI	Abutment	BL NC Bonding φ 3.5 H=5.5 GH=1.0
14130318	士卓曼-ITI	Abutment	BL NC Bonding φ 3.5 H=5.5 GH=2.0
14130319	士卓曼-ITI	Abutment	BL NC Bonding φ 3.5 H=5.5 GH=3.0
14130320b	士卓曼-ITI	Abutment	BL NC Bonding φ 5.0 H=4 GH=1.0
14130321b	士卓曼-ITI	Abutment	BL NC Bonding φ 5.0 H=4 GH=2.0
14130322b	士卓曼-ITI	Abutment	BL NC Bonding φ 5.0 H=4 GH=3.0
14130323b	士卓曼-ITI	Abutment	BL NC Bonding φ 5.0 H=5.5 GH=1.0
14130324b	士卓曼-ITI	Abutment	BL NC Bonding φ 5.0 H=5.5 GH=2.0
14130325b	士卓曼-ITI	Abutment	BL NC Bonding φ 5.0 H=5.5 GH=3.0
14131101	士卓曼-ITI	Abutment	BL RC Temporary Abutment
14131302b	士卓曼-ITI	Abutment	BL RC Aesthetics 0° φ 6.4 GH=2 Anatomical abutment
14131303b	士卓曼-ITI	Abutment	BL RC Aesthetics 0° φ 6.4 GH=3.5 Anatomical abutment
14131312b	士卓曼-ITI	Abutment	BL RC Aesthetics 15° φ 6.5 GH=2 Anatomical abutment
14131313b	士卓曼-ITI	Abutment	BL RC Aesthetics 15° φ 6.5 GH=3.5 Anatomical abutment
14131314b	士卓曼-ITI	Abutment	BL RC Bonding φ 5.0 H=4.0 GH=1.0
14131315b	士卓曼-ITI	Abutment	BL RC Bonding φ 5.0 H=4.0 GH=2.0
14131316b	士卓曼-ITI	Abutment	BL RC Bonding φ 5.0 H=4.0 GH=3.0
14131317b	士卓曼-ITI	Abutment	BL RC Bonding φ 5.0 H=5.5 GH=1.0

Code	Compatible brand	Product Name	Specification
14131318b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 5.0 H=5.5 GH=2.0
14131319b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 5.0 H=5.5 GH=3.0
14131320b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 6.5 H=4.0 GH=1.0
14131321b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 6.5 H=4.0 GH=2.0
14131322b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 6.5 H=4.0 GH=3.0
14131323b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 6.5 H=5.5 GH=1.0
14131324b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 6.5 H=5.5 GH=2.0
14131325b	士卓曼-ITI	Abutment	BL RC Bonding ϕ 6.5 H=5.5 GH=3.0
14132101	士卓曼-ITI	Abutment	TL RN Star anise H=5.5 Bonding Abutment
14132102	士卓曼-ITI	Abutment	TL RN Star anise H=1.5 Bonding Abutment
15130301b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 3.5 0° GH=1.0
15130302b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 3.5 0° GH=2.5
15130304b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 3.5 0° GH=4.0
15130401b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 0° GH=1.0
15130402b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 0° GH=2.5
15130404b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 0° GH=4.0
15130412b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 AShape 17° GH=2.5
15130414b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 AShape 17° GH=4.0
15130416b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 AShape 17° GH=5.5
15130432b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 AShape 30° GH=2.5
15130434b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 AShape 30° GH=4.0
15130436b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 AShape 30° GH=5.5
15130512b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 BShape 17° GH=2.5
15130514b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 BShape 17° GH=4.0
15130516b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 BShape 17° GH=5.5
15130532b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 BShape 30° GH=2.5
15130534b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 BShape 30° GH=4.0
15130536b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 BShape 30° GH=5.5
15131401b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=1.0
15131402b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=2.5
15131404b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=4.0
15131405b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=5.5
15131412b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 AShape 17° GH=2.5
15131414b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 AShape 17° GH=4.0
15131416b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 AShape 17° GH=5.5
15131432b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 AShape 30° GH=2.5
15131434b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 AShape 30° GH=4.0
15131436b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 AShape 30° GH=5.5
15131512b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 BShape 17° GH=2.5
15131514b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 BShape 17° GH=4.0
15131516b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 BShape 17° GH=5.5
15131532b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 BShape 30° GH=2.5
15131534b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 BShape 30° GH=4.0
15131536b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 BShape 30° GH=5.5
15132301b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 3.5 0° GH=1.5N New design Integrated Non-rotational
15132303b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 3.5 0° GH=3.5N New design Integrated Non-rotational
15132401b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 0° GH=1.5 New design Integrated Non-rotational
15132402b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 0° GH=2.5N New design Integrated Non-rotational
15132403b	士卓曼-ITI	Abutment System-Abutment	BL NC Multi Unit ϕ 4.6 0° GH=3.5N New design Integrated Non-rotational
15132413b	士卓曼-ITI	Abutment System-Abutment	BL NC 17° Multi Unit A Shape ϕ 4.6 GH=3.5 New design
15132414b	士卓曼-ITI	Abutment System-Abutment	BL NC 17° Multi Unit A Shape ϕ 4.6 GH=4.5 New design
15132434b	士卓曼-ITI	Abutment System-Abutment	BL NC 30° Multi Unit A Shape ϕ 4.6 GH=4.5 New design
15132513b	士卓曼-ITI	Abutment System-Abutment	BL NC 17° Multi Unit B Shape ϕ 4.6 GH=3.5 New design
15132514b	士卓曼-ITI	Abutment System-Abutment	BL NC 17° Multi Unit B Shape ϕ 4.6 GH=4.5 New design
15132534b	士卓曼-ITI	Abutment System-Abutment	BL NC 30° Multi Unit B Shape ϕ 4.6 GH=4.5 New design
15133401b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=1.5N New design Integrated Non-rotational
15133402b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=2.5N New design Integrated Non-rotational
15133403b	士卓曼-ITI	Abutment System-Abutment	BL RC Multi Unit ϕ 4.6 0° GH=3.5N New design Integrated Non-rotational
15133413b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 17° Multi Unit AShape ϕ 4.6 GH=3.5
15133414b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 17° Multi Unit AShape ϕ 4.6 GH=4.5
15133433b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 30° Multi Unit AShape ϕ 4.6 GH=3.5
15133434b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 30° Multi Unit AShape ϕ 4.6 GH=4.5

Code	Compatible brand	Product Name	Specification
15133513b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 17° Multi Unit BShape φ 4.6 GH=3.5
15133514b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 17° Multi Unit BShape φ 4.6 GH=4.5
15133533b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 30° Multi Unit BShape φ 4.6 GH=3.5
15133534b	士卓曼-ITI	Abutment System-Abutment	RS BL RC 30° Multi Unit BShape φ 4.6 GH=4.5
16133545b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 3.5 L=4.5
16133550b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 3.5 L=5
16133565b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 3.5 L=6.5
16133580b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 3.5 L=6.5
16134651b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 4.6 L=5.1
16134666b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 4.6 L=6.6
16134681b	士卓曼-ITI	Abutment System-Healing Cap	BL Multi Unit φ 4.6 L=8.1
17130035b	士卓曼-ITI	Abutment System-Temporary Cylinder	BL Multi Unit φ 3.5 Temporary Cylinder
17130036b	士卓曼-ITI	Abutment System-Temporary Cylinder	BL Multi Unit φ 3.5 Temporary Cylinder
17130046b	士卓曼-ITI	Abutment System-Temporary Cylinder	BL Multi Unit φ 4.6 Temporary Cylinder
17134603b	士卓曼-ITI	Abutment System-Temporary Cylinder	BL Multi Unit φ 4.6 base
61010331	士卓曼-ITI	Digital Analog	BL-RC-Plaster Analog
61011301	士卓曼-ITI	Digital Analog	TL-RN-Plaster Analog
61011311	士卓曼-ITI	Digital Analog	TL-WN-Plaster Analog
61011321	士卓曼-ITI	Digital Analog	BL-NC-Plaster Analog
61011335	士卓曼-ITI	Digital Analog	BL φ 3.5 Multi Unit Plaster Analog
61011346	士卓曼-ITI	Digital Analog	BL φ 4.6 Multi Unit Plaster Analog
61021321	士卓曼-ITI	Impression Coping	BL NC L=16.5 Short Pick-up
61021322	士卓曼-ITI	Impression Coping	BL NC L=24 Long Pick-up
61021324	士卓曼-ITI	Impression Coping	BL NC L=12.3 Short Closed-window
61021331	士卓曼-ITI	Impression Coping	BL RC L=16.5 Long Pick-up
61021333	士卓曼-ITI	Impression Coping	BL RC L=30 Long Non-rotational Pick-up
61021334	士卓曼-ITI	Impression Coping	BL RC L=30 Long Non-rotational Pick-up
61021335	士卓曼-ITI	Impression Coping	BL RC L=12.3 Closed-window
71021346	士卓曼-ITI	Impression Coping	BL φ 4.6 Multi Unit Pick-up
71021347	士卓曼-ITI	Impression Coping	BL φ 4.6 B Multi Unit Closed-window
71021391	士卓曼-ITI	Impression Coping	Plastic Cap

Code	Compatible brand	Product Name	Specification
12114536b	登騰-Dentium	Cover Screw	Φ3.6
13114020b	登騰-Dentium	Healing Abutment	φ 4.0 GH=2 H=2
13114035b	登騰-Dentium	Healing Abutment	φ 4.0 GH=2 H=3.5
13114050b	登騰-Dentium	Healing Abutment	φ 4.0 GH=3 H=5
13114070b	登騰-Dentium	Healing Abutment	φ 4.0 GH=4 H=7
13114510b	登騰-Dentium	Healing Abutment	φ 4.5 GH=4 H=10
13114520b	登騰-Dentium	Healing Abutment	φ 4.5 GH=2 H=2
13114535b	登騰-Dentium	Healing Abutment	φ 4.5 GH=2 H=3.5
13114550b	登騰-Dentium	Healing Abutment	φ 4.5 GH=3 H=5
13114570b	登騰-Dentium	Healing Abutment	φ 4.5 GH=4 H=7
13115500b	登騰-Dentium	Healing Abutment	φ 5.5 H=10
13115520b	登騰-Dentium	Healing Abutment	φ 5.5 GH=2 H=2
13115535b	登騰-Dentium	Healing Abutment	φ 5.5 GH=2 H=3.5
13115550b	登騰-Dentium	Healing Abutment	φ 5.5 GH=3 H=5
13115570b	登騰-Dentium	Healing Abutment	φ 5.5 GH=4 H=7
13116520b	登騰-Dentium	Healing Abutment	φ 6.5 GH=2 H=2
13116535b	登騰-Dentium	Healing Abutment	φ 6.5 GH=2 H=3.5
13116550b	登騰-Dentium	Healing Abutment	φ 6.5 GH=3 H=5
13116570b	登騰-Dentium	Healing Abutment	φ 6.5 GH=4 H=7
13117550b	登騰-Dentium	Healing Abutment	φ 7.5 GH=3 H=5
14110201b	登騰-Dentium	Abutment	φ 4.5 GH=1.0 Hexagon
14110202b	登騰-Dentium	Abutment	φ 4.5 GH=1.5 Hexagon
14110203b	登騰-Dentium	Abutment	φ 4.5 GH=2.5 Hexagon
14110204b	登騰-Dentium	Abutment	φ 4.5 GH=3.5 Hexagon
14110205b	登騰-Dentium	Abutment	φ 4.5 GH=4.5 Hexagon
14110206b	登騰-Dentium	Abutment	φ 4.5 GH=5.5 Hexagon
14110212b	登騰-Dentium	Abutment	φ 5.5 GH=1.5 Hexagon
14110213b	登騰-Dentium	Abutment	φ 5.5 GH=2.5 Hexagon
14110214b	登騰-Dentium	Abutment	φ 5.5 GH=3.5 Hexagon
14110215b	登騰-Dentium	Abutment	φ 5.5 GH=4.5 Hexagon
14110216b	登騰-Dentium	Abutment	φ 5.5 GH=5.5 Hexagon
14110222b	登騰-Dentium	Abutment	φ 6.5 GH=1.5 Hexagon
14110223b	登騰-Dentium	Abutment	φ 6.5 GH=2.5 Hexagon
14110224b	登騰-Dentium	Abutment	φ 6.5 GH=3.5 Hexagon
14110225b	登騰-Dentium	Abutment	φ 6.5 GH=4.5 Hexagon
14110226b	登騰-Dentium	Abutment	φ 6.5 GH=5.5 Hexagon
14110301b	登騰-Dentium	Abutment	φ 4.5 GH=1.0 Non-Hexagon
14110302b	登騰-Dentium	Abutment	φ 4.5 GH=1.5 Non-Hexagon
14110303b	登騰-Dentium	Abutment	φ 4.5 GH=2.5 Non-Hexagon
14110305b	登騰-Dentium	Abutment	φ 4.5 GH=4.5 Non-Hexagon
14110306b	登騰-Dentium	Abutment	φ 4.5 GH=5.5 Non-Hexagon
14110312b	登騰-Dentium	Abutment	φ 5.5 GH=1.5 Non-Hexagon
14110313b	登騰-Dentium	Abutment	φ 5.5 GH=2.5 Non-Hexagon
14110314b	登騰-Dentium	Abutment	φ 5.5 GH=3.5 Non-Hexagon
14110315b	登騰-Dentium	Abutment	φ 5.5 GH=4.5 Non-Hexagon
14110316b	登騰-Dentium	Abutment	φ 5.5 GH=5.5 Non-Hexagon
14110400b	登騰-Dentium	Abutment	φ 4.5 GH=1.5 15° Hexagon
14110401b	登騰-Dentium	Abutment	φ 4.5 GH=2.0 15° Hexagon
14110402b	登騰-Dentium	Abutment	φ 4.5 GH=2.5 15° Hexagon
14110403b	登騰-Dentium	Abutment	φ 4.5 GH=3.5 15° Hexagon
14110404b	登騰-Dentium	Abutment	φ 4.5 GH=4.0 15° Hexagon
14110420b	登騰-Dentium	Abutment	φ 5.5 GH=1.5 15° Hexagon
14110421b	登騰-Dentium	Abutment	φ 5.5 GH=2.0 15° Hexagon
14110422b	登騰-Dentium	Abutment	φ 5.5 GH=2.5 15° Hexagon
14110423b	登騰-Dentium	Abutment	φ 5.5 GH=3.5 15° Hexagon
14110424b	登騰-Dentium	Abutment	φ 5.5 GH=4.0 15° Hexagon
14110431	登騰-Dentium	Abutment	φ 5.5 GH=2.0 15° Non-Hexagon
14110441b	登騰-Dentium	Abutment	φ 4.5 GH=1.5 25° Hexagon
14110442b	登騰-Dentium	Abutment	φ 4.5 GH=2.0 25° Hexagon
14110443b	登騰-Dentium	Abutment	φ 4.5 GH=2.5 25° Hexagon
14110444b	登騰-Dentium	Abutment	φ 4.5 GH=3.5 25° Hexagon

Code	Compatible brand	Product Name	Specification
14110445b	登騰-Dentium	Abutment	φ 4.5 GH=4.0 25° Hexagon
14110460b	登騰-Dentium	Abutment	φ 5.5 GH=1.0 25° Hexagon
14110461b	登騰-Dentium	Abutment	φ 5.5 GH=1.5 25° Hexagon
14110462b	登騰-Dentium	Abutment	φ 5.5 GH=2.0 25° Hexagon
14110463b	登騰-Dentium	Abutment	φ 5.5 GH=2.5 25° Hexagon
14110464b	登騰-Dentium	Abutment	φ 5.5 GH=3.5 25° Hexagon
14110465b	登騰-Dentium	Abutment	φ 5.5 GH=4.0 25° Hexagon
15110410b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=1.0 0°
15110411b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=1.5 0°
15110425b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=2.5 0°
15110435b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=3.5 0°
15110445b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=4.5 0°
15110455b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=5.5 0°
15110515b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=1.5 0°
15110525b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=2.5 0°
15110535b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=3.5 0°
15110545b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=4.5 0°
15110555b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=5.5 0°
15111410b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=1.0 15° Hexagon
15111420b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=2.0 15° Hexagon
15111430b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=3.0 15° Hexagon
15111440b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=4.0 15° Hexagon
15111450b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=5.0 15° Hexagon
15111515b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=1.5 15° Hexagon
15111530b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=3.0 15° Hexagon
15112410b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=1.0 30° Hexagon
15112420b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=2.0 30° Hexagon
15112430b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=3.0 30° Hexagon
15112440b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=4.0 30° Hexagon
15112450b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=5.0 30° Hexagon
15112515b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=1.5 30° Hexagon
15112530b	登騰-Dentium	Abutment System-Abutment	φ 5.5 GH=3.0 30° Hexagon
15113420b	登騰-Dentium	Abutment System-Abutment	φ 4.5 GH=2.0 45° Hexagon
16114501b	登騰-Dentium	Abutment System-Healing Cap	φ 4.5 H=5.0
16115501b	登騰-Dentium	Abutment System-Healing Cap	φ 5.5 H=5.0
17114502b	登騰-Dentium	Abutment System-Temporary Cylinder	Mult Unit base
17114503b	登騰-Dentium	Abutment System-Temporary Cylinder	φ 4.5 L=12 Non-Hexagon Titanium Base
17115502b	登騰-Dentium	Abutment System-Temporary Cylinder	Mult Unit base
17115503b	登騰-Dentium	Abutment System-Temporary Cylinder	φ 5.5 L=12 Non-Hexagon Titanium Base
19114501b	登騰-Dentium	Abutment System-Jaw screw	SRS 18T
61010111	登騰-Dentium	Digital Analog	φ 4.5 L=12 Plaster Analog
61011101	登騰-Dentium	Digital Analog	φ 4.0 L=12 Plaster Analog
61011145	登騰-Dentium	Digital Analog	φ 4.5 Multi Unit Plaster Analog
61011155	登騰-Dentium	Digital Analog	φ 5.5 Multi Unit Plaster Analog
61021101	登騰-Dentium	Impression Coping	φ 4.0 L=17 Hexagon short Pick-up
61021102	登騰-Dentium	Impression Coping	φ 4.0 L=17 Non-Hexagon short Pick-up
61021105	登騰-Dentium	Impression Coping	φ 4.0 L=21 Hexagon long Pick-up
61021106	登騰-Dentium	Impression Coping	φ 4.0 L=21 Non-Hexagon long Pick-up
61021111	登騰-Dentium	Impression Coping	φ 4.5 L=17 Hexagon short Pick-up
61021112	登騰-Dentium	Impression Coping	φ 4.5 L=17 Non-Hexagon short Pick-up
61021115	登騰-Dentium	Impression Coping	φ 4.5 L=21 Hexagon long Pick-up
61021116	登騰-Dentium	Impression Coping	φ 4.5 L=21 Non-Hexagon long Pick-up
61021121	登騰-Dentium	Impression Coping	φ 5.5 L=17 Hexagon short Pick-up
61021122	登騰-Dentium	Impression Coping	φ 5.5 L=17 Non-Hexagon short Pick-up
61021125	登騰-Dentium	Impression Coping	φ 5.5 L=21 Hexagon long Pick-up
61021126	登騰-Dentium	Impression Coping	φ 5.5 L=21 Non-Hexagon long Pick-up
61021131	登騰-Dentium	Impression Coping	φ 6.5 L=17 Hexagon short Pick-up

Code	Compatible brand	Product Name	Specification
61021132	登騰-Dentium	Impression Coping	φ 6.5 L=17 Non-Hexagon short Pick-up
61021135	登騰-Dentium	Impression Coping	φ 6.5 L=21 Hexagon long Pick-up
61021136	登騰-Dentium	Impression Coping	φ 6.5 L=21 Non-Hexagon long Pick-up
61021151	登騰-Dentium	Impression Coping	φ 4.0 L=11 Hexagon short Closed-window
61021152	登騰-Dentium	Impression Coping	φ 4.0 L=11 Non-Hexagon short Closed-window
61021155	登騰-Dentium	Impression Coping	φ 4.0 L=15 Hexagon long Closed-window
61021156	登騰-Dentium	Impression Coping	φ 4.0 L=15 Non-Hexagon long Closed-window
61021161	登騰-Dentium	Impression Coping	φ 4.5 L=11 Hexagon short Closed-window
61021162	登騰-Dentium	Impression Coping	φ 4.5 L=11 Non-Hexagon short Closed-window
61021165	登騰-Dentium	Impression Coping	φ 4.5 L=15 Hexagon long Closed-window
61021166	登騰-Dentium	Impression Coping	φ 4.5 L=15 Non-Hexagon long Closed-window
61021171	登騰-Dentium	Impression Coping	φ 5.5 L=11 Hexagon short Closed-window
61021172	登騰-Dentium	Impression Coping	φ 5.5 L=11 Non-Hexagon short Closed-window
61021175	登騰-Dentium	Impression Coping	φ 5.5 L=15 Hexagon long Closed-window
61021176	登騰-Dentium	Impression Coping	φ 5.5 L=15 Non-Hexagon long Closed-window
61021181	登騰-Dentium	Impression Coping	φ 6.5 L=11 Hexagon short Closed-window
61021182	登騰-Dentium	Impression Coping	φ 6.5 L=11 Non-Hexagon short Closed-window
61021185	登騰-Dentium	Impression Coping	φ 6.5 L=15 Hexagon long Closed-window
61021186	登騰-Dentium	Impression Coping	φ 6.5 L=15 Non-Hexagon long Closed-window
61090101	登騰-Dentium	Torque wrench	Multi Uint Straight Abutment Torque Screwdriver
71021142	登騰-Dentium	Impression Coping	φ 4.5 Non-Hexagon Multi UnitPick-up
71021144	登騰-Dentium	Impression Coping	φ 5.5 Non-Hexagon Multi UnitPick-up
71021195	登騰-Dentium	Impression Coping	φ 4.5 Closed-window Multi Unit Transfer Cap

Code	Compatible brand	Product Name	Specification
12141101b	诺保科-Nobel	Cover Screw	Narrow
12141201b	诺保科-Nobel	Cover Screw	Regular
13141133b	诺保科-Nobel	Healing Abutment	NP Conical ϕ 3.6 H=3
13141135b	诺保科-Nobel	Healing Abutment	NP Conical ϕ 3.6 H=5
13141137b	诺保科-Nobel	Healing Abutment	NP Conical ϕ 3.6 H=7
13141153b	诺保科-Nobel	Healing Abutment	NP Conical ϕ 5.0 H=3
13141155b	诺保科-Nobel	Healing Abutment	NP Conical ϕ 5.0 H=5
13141157b	诺保科-Nobel	Healing Abutment	NP Conical ϕ 5.0 H=7
13141233b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 3.6 H=3
13141235b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 3.6 H=5
13141237b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 3.6 H=7
13141253b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 5.0 H=3
13141255b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 5.0 H=5
13141257b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 5.0 H=7
13141263b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 6.0 H=3
13141265b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 6.0 H=5
13141267b	诺保科-Nobel	Healing Abutment	RP Conical ϕ 6.0 H=7
14140101	诺保科-Nobel	Abutment	NP H=1.5 Temporary Abutment
14140102b	诺保科-Nobel	Abutment	NP Aesthetics 0° GH=1.5
14140103b	诺保科-Nobel	Abutment	NP Aesthetics 0° GH=3.0
14140105b	诺保科-Nobel	Abutment	NP Aesthetics 0° GH=4.5
14140112b	诺保科-Nobel	Abutment	NP Aesthetics 15° GH=1.5
14140113b	诺保科-Nobel	Abutment	NP Aesthetics 15° GH=3
14140115b	诺保科-Nobel	Abutment	NP Aesthetics 15° GH=4.5
14140201	诺保科-Nobel	Abutment	RP H=1.5 Temporary Abutment
14140202b	诺保科-Nobel	Abutment	RP Aesthetics 0° GH=1.5
14140203b	诺保科-Nobel	Abutment	RP Aesthetics 0° GH=3.0
14140205b	诺保科-Nobel	Abutment	RP Aesthetics 0° GH=4.5
14140212b	诺保科-Nobel	Abutment	RP Aesthetics 15° GH=1.5
14140213b	诺保科-Nobel	Abutment	RP Aesthetics 15° GH=3.0
14140215b	诺保科-Nobel	Abutment	RP Aesthetics 15° GH=4.5
15140115b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit0° GH=1.5
15140125b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit0° GH=2.5
15140135b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit0° GH=3.5
15140225b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit17° GH=2.5
15140235b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit17° GH=3.5
15140325b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit30° GH=2.5
15140335b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit30° GH=3.5
15140345b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit30° GH=4.5
15141110b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=1.0
15141115b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=1.5
15141120b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=2.0
15141125b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=2.5
15141130b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=3.0
15141135b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=3.5
15141140b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=4.0
15141145b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=4.5
15141150b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=5.0
15141225b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit17° GH=2.5
15141235b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit17° GH=3.5
15141325b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit30° GH=2.5
15141335b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit30° GH=3.5
15141345b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit30° GH=4.5
15142115b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit0° GH=1.5 Strengthen
15142135b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit0° GH=3.5 Strengthen
15142335b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit30° GH=3.5 Strengthen
15142345b	诺保科-Nobel	Abutment System-Abutment	NP Multi Unit30° GH=4.5 Strengthen
15143115b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=1.5 Strengthen
15143125b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=2.5 Strengthen
15143135b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=3.5 Strengthen

Code	Compatible brand	Product Name	Specification
15143145b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit0° GH=4.5 Strengthen
15143225b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit17° GH=2.5 Strengthen
15143235b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit17° GH=3.5 Strengthen
15143335b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit30° GH=3.5 Strengthen
15143345b	诺保科-Nobel	Abutment System-Abutment	RP Multi Unit30° GH=4.5 Strengthen
16144801b	诺保科-Nobel	Abutment System-Healing Cap	Multi Unit ϕ 5.0 L=4.1
17144801b	诺保科-Nobel	Abutment System-Temporary Cylinder	Multi Unit ϕ 4.8 Temporary Crown
17144802b	诺保科-Nobel	Abutment System-Temporary Cylinder	Multi Unit ϕ 4.8 Temporary Snap Abutment
19144801b	诺保科-Nobel	Abutment System-Jaw screw	Multi Unit Abutment Repair Screw
61011401	诺保科-Nobel	Digital Analog	NP Plaster Analog
61011411	诺保科-Nobel	Digital Analog	RP Plaster Analog
61011448	诺保科-Nobel	Digital Analog	ϕ 4.8 Multi Unit Plaster Analog
61011449	诺保科-Nobel	Digital Analog	Click- Multi Unit Plaster Analog
61021401	诺保科-Nobel	Impression Coping	NP Closed-window ϕ 3.6 H=13
61021402	诺保科-Nobel	Impression Coping	NP Closed-window ϕ 5.0 H=13
61021411	诺保科-Nobel	Impression Coping	RP Closed-window ϕ 3.6 H=9
61021412	诺保科-Nobel	Impression Coping	RP Closed-window ϕ 3.6 H=13
61021413	诺保科-Nobel	Impression Coping	RP Closed-window ϕ 5.0 H=9
61021414	诺保科-Nobel	Impression Coping	RP Closed-window ϕ 5.0 H=13
61021415	诺保科-Nobel	Impression Coping	RP Closed-window ϕ 6.0 H=9
61021416	诺保科-Nobel	Impression Coping	RP Closed-window ϕ 6.0 H=13
61021421	诺保科-Nobel	Impression Coping	NP Pick-up ϕ 3.6 H=10
61021422	诺保科-Nobel	Impression Coping	NP Pick-up ϕ 3.6 H=14
61021423	诺保科-Nobel	Impression Coping	NP Pick-up ϕ 5.0 H=10
61021424	诺保科-Nobel	Impression Coping	NP Pick-up ϕ 5.0 H=14
61021431	诺保科-Nobel	Impression Coping	RP Pick-up ϕ 3.6 H=10
61021432	诺保科-Nobel	Impression Coping	RP Pick-up ϕ 3.6 H=14
61021433	诺保科-Nobel	Impression Coping	RP Pick-up ϕ 5.0 H=10
61021434	诺保科-Nobel	Impression Coping	RP Pick-up ϕ 5.0 H=14
61021435	诺保科-Nobel	Impression Coping	RP Pick-up ϕ 6.0 H=10
61021436	诺保科-Nobel	Impression Coping	RP Pick-up ϕ 6.0 H=14
61091401	诺保科-Nobel	Torque wrench	Multi Unit Straight Abutment Torque Screwdriver
71021448	诺保科-Nobel	Impression Coping	Multi Unit Pick-up
71021450	诺保科-Nobel	Impression Coping	Multi Unit Closed-window

阿斯特拉-Astra

Code	Compatible brand	Product Name	Specification
13160201b	阿斯特拉-Astra	Healing Abutment	TX 3.0 ϕ 4 GH=2
13160202b	阿斯特拉-Astra	Healing Abutment	TX 3.0 ϕ 4 GH=4
13160203b	阿斯特拉-Astra	Healing Abutment	TX 3.0 ϕ 4 GH=6
13160212b	阿斯特拉-Astra	Healing Abutment	TX 3.5/4.0 ϕ 4.5 H=4
13160213b	阿斯特拉-Astra	Healing Abutment	TX 3.5/4.0 ϕ 4.5 H=6
13160214b	阿斯特拉-Astra	Healing Abutment	TX 3.5/4.0 ϕ 4.5 H=2
13160221b	阿斯特拉-Astra	Healing Abutment	TX 3.5/4.0 ϕ 5.5 H=2
13160222b	阿斯特拉-Astra	Healing Abutment	TX 3.5/4.0 ϕ 5.5 H=4
13160223b	阿斯特拉-Astra	Healing Abutment	TX 3.5/4.0 ϕ 5.5 H=6
13160231b	阿斯特拉-Astra	Healing Abutment	TX 4.5/5.0 ϕ 5.5 H=2
13160232b	阿斯特拉-Astra	Healing Abutment	TX 4.5/5.0 ϕ 5.5 H=4
13160233b	阿斯特拉-Astra	Healing Abutment	TX 4.5/5.0 ϕ 5.5 H=6
13163011b	阿斯特拉-Astra	Healing Abutment	EV 3.0 ϕ 4.0 H=2.5
13163012b	阿斯特拉-Astra	Healing Abutment	EV 3.0 ϕ 4.0 H=3.5
13163013b	阿斯特拉-Astra	Healing Abutment	EV 3.0 ϕ 4.0 H=4.5
13163014b	阿斯特拉-Astra	Healing Abutment	EV 3.0 ϕ 4.0 H=6.5
13163641b	阿斯特拉-Astra	Healing Abutment	EV 3.6 ϕ 4.5 H=2.5
13163642b	阿斯特拉-Astra	Healing Abutment	EV 3.6 ϕ 4.5 H=3.5
13163643b	阿斯特拉-Astra	Healing Abutment	EV 3.6 ϕ 4.5 H=4.5
13163644b	阿斯特拉-Astra	Healing Abutment	EV 3.6 ϕ 4.5 H=6.5
13164231b	阿斯特拉-Astra	Healing Abutment	EV 4.2 ϕ 5.5 H=2.5
13164232b	阿斯特拉-Astra	Healing Abutment	EV 4.2 ϕ 5.5 H=3.5
13164233b	阿斯特拉-Astra	Healing Abutment	EV 4.2 ϕ 5.5 H=4.5
13164234b	阿斯特拉-Astra	Healing Abutment	EV 4.2 ϕ 5.5 H=6.5
13164811b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 6.5 H=2.5
13164812b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 6.5 H=3.5
13164813b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 6.5 H=4.5
13164814b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 6.5 H=6.5
13164841b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 5.5 H=2.5
13164842b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 5.5 H=3.5
13164843b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 5.5 H=4.5
13164844b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 5.5 H=6.5
13164845b	阿斯特拉-Astra	Healing Abutment	EV 4.8 ϕ 5.5 H=8.0
13165421b	阿斯特拉-Astra	Healing Abutment	EV 5.4 ϕ 7.0 H=2.5
13165422b	阿斯特拉-Astra	Healing Abutment	EV 5.4 ϕ 7.0 H=3.5
13165423b	阿斯特拉-Astra	Healing Abutment	EV 5.4 ϕ 7.0 H=4.5
13165424b	阿斯特拉-Astra	Healing Abutment	EV 5.4 ϕ 7.0 H=6.5
14160101b	阿斯特拉-Astra	Abutment	EV-4.2 Aesthetics 0° ϕ 5.5 GH=2.5
17160001b	阿斯特拉-Astra	Abutment System-Temporary Cylinder	EV Multi Unit ϕ 4.8 L=12
19160001b	阿斯特拉-Astra	Abutment System-Jaw screw	TX Jaw screw
19160002b	阿斯特拉-Astra	Abutment System-Jaw screw	EV Jaw screw
61011601	阿斯特拉-Astra	Digital Analog	TX-3.0-Plaster Analog
61011602	阿斯特拉-Astra	Digital Analog	TX-3.5/4.0-Plaster Analog
61011603	阿斯特拉-Astra	Digital Analog	TX-4.5/5.0-Plaster Analog
61011611	阿斯特拉-Astra	Digital Analog	EV-3.0-Plaster Analog
61011612	阿斯特拉-Astra	Digital Analog	EV-3.6-Plaster Analog
61011613	阿斯特拉-Astra	Digital Analog	EV-4.2-Plaster Analog
61011614	阿斯特拉-Astra	Digital Analog	EV-4.8-Plaster Analog
61011615	阿斯特拉-Astra	Digital Analog	EV-5.4-Plaster Analog
61011648	阿斯特拉-Astra	Digital Analog	Multi Unit EV ϕ 4.8 I
61021611	阿斯特拉-Astra	Impression Coping	Pick-up EV ϕ 3.0 L
61021612	阿斯特拉-Astra	Impression Coping	Pick-up EV ϕ 3.6 L
61021651	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 3.6 S
61021652	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 4.2 S
61021653	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 4.8 S
61021654	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 5.4 S
61021661	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 3.0 L
61021662	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 3.6 L
61021663	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 4.2 L

Code	Compatible brand	Product Name	Specification
61021664	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 4.8 L
61021665	阿斯特拉-Astra	Impression Coping	Closed-window EV ϕ 5.4 L
61021675	阿斯特拉-Astra	Impression Coping	Closed-window TX 3.0 L=19
61021686	阿斯特拉-Astra	Impression Coping	Closed-window TX 3.5/4.0 L=19
61021688	阿斯特拉-Astra	Impression Coping	Closed-window TX 3.5/4.0 L=16 I
61021696	阿斯特拉-Astra	Impression Coping	Closed-window TX 4.5/5.0 L=19
61021698	阿斯特拉-Astra	Impression Coping	Closed-window TX 4.5/5.0 L=16 I
71021601	阿斯特拉-Astra	Impression Coping	Pick-up Multi Unit EV ϕ 4.8 B

Code	Compatible brand	Product Name	Specification
13282310	安卓健-Anthogyr	Healing Abutment	ATG OPHS310
13282320	安卓健-Anthogyr	Healing Abutment	ATG OPHS320
13282330	安卓健-Anthogyr	Healing Abutment	ATG OPHS330
13282340	安卓健-Anthogyr	Healing Abutment	ATG OPHS340
13282400	安卓健-Anthogyr	Healing Abutment	ATG OPHS400
13282410	安卓健-Anthogyr	Healing Abutment	ATG OPHS410
13282420	安卓健-Anthogyr	Healing Abutment	ATG OPHS420
13282430	安卓健-Anthogyr	Healing Abutment	ATG OPHS430
13282440	安卓健-Anthogyr	Healing Abutment	ATG OPHS440
13282450	安卓健-Anthogyr	Healing Abutment	ATG OPHS450
13282460	安卓健-Anthogyr	Healing Abutment	ATG OPHS460
13282500	安卓健-Anthogyr	Healing Abutment	ATG OPHS500
13282510	安卓健-Anthogyr	Healing Abutment	ATG OPHS510
13282520	安卓健-Anthogyr	Healing Abutment	ATG OPHS520
13282530	安卓健-Anthogyr	Healing Abutment	ATG OPHS530
13282540	安卓健-Anthogyr	Healing Abutment	ATG OPHS540
13282550	安卓健-Anthogyr	Healing Abutment	ATG OPHS550
13282560	安卓健-Anthogyr	Healing Abutment	ATG OPHS560
13282570	安卓健-Anthogyr	Healing Abutment	ATG OPHS570
13282610	安卓健-Anthogyr	Healing Abutment	ATG OPHS610
13282620	安卓健-Anthogyr	Healing Abutment	ATG OPHS620
13282630	安卓健-Anthogyr	Healing Abutment	ATG OPHS630
13282640	安卓健-Anthogyr	Healing Abutment	ATG OPHS640
14280020	安卓健-Anthogyr	Abutment	ATG AX R Temporary
61012811	安卓健-Anthogyr	Digital Analog	ATG-AX-R-I
61022812	安卓健-Anthogyr	Impression Coping	Pick-up ATG L=10C
61022851	安卓健-Anthogyr	Impression Coping	ATG Closed-window L
61022852	安卓健-Anthogyr	Impression Coping	Closed-window ATG L=10
Previous version	61092801	安卓健-Anthogyr	Torque wrench Multi Uint Straight Abutment Torque Screwdriver
15280015b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 0° GH=1.5 H=2.5
15280025b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 0° GH=2.5 H=2.5
15280035b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 0° GH=3.5 H=2.5
15280045b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 0° GH=4.5 H=2.5
15281115b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 18° GH=1.5 H=2.5
15281125b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 18° GH=2.5 H=2.5
15281135b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 18° GH=3.5 H=2.5
15281205b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 30° GH=0.75 H=2.5
15281215b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 30° GH=1.5 H=2.5
15281225b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 30° GH=2.5 H=2.5
15281235b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 30° GH=3.5 H=2.5

	Code	Compatible brand	Product Name	Specification
New Version	16284801b	安卓健-Anthogyr	Basal Cap (Healing Cap)	ATG Multi Unit ϕ 4.8
	16284001b	安卓健-Anthogyr	Basal Cap (Healing Cap)	ATG Multi Unit ϕ 4.0 H=1.5
	16284002b	安卓健-Anthogyr	Basal Cap (Healing Cap)	ATG Multi Unit ϕ 4.0 H=1
	17284801b	安卓健-Anthogyr	Basal Cap (Temporary Cylinder)	ATG Multi Unit ϕ 4.8 H=2.5
	17284001b	安卓健-Anthogyr	Basal Cap (Temporary Cylinder)	ATG Multi Unit ϕ 4.0 H=1.5
	17284002b	安卓健-Anthogyr	Basal Cap (Temporary Cylinder)	ATG Temporary Multi Unit ϕ 4.0 H=1
	17284802b	安卓健-Anthogyr	Basal Cap (Temporary Cylinder)	ATG Multi Unit ϕ 4.8 H=3.5
	71022801	安卓健-Anthogyr	Impression Coping	Pick-up ATG Multi Unit ϕ 4.8 H2.5
	71022804	安卓健-Anthogyr	Impression Coping	Pick-up ATG Multi Unit ϕ 4.8 H2.5 L
	71022807	安卓健-Anthogyr	Impression Coping	Pick-up ATG Multi Unit ϕ 4.8 H2.5 S
	61012848	安卓健-Anthogyr	Digital Analog	Multi Unit ATG Angle ϕ 4.8 H2.5 I
	61012840	安卓健-Anthogyr	Digital Analog	ATG Multi Unit straight Φ 4.0-I
	61012849	安卓健-Anthogyr	Digital Analog	ATG Multi Unit straight ϕ 4.8 H3.5 -I
	15281015b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.0 0° GH=1.5 H=1
	15281025b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.0 0° GH=2.5 H=1
	15281035b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.0 0° GH=3.5 H=1
	15280125b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 18° GH=2.5 H=3.5
	15280135b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 18° GH=3.5 H=3.5
	15280145b	安卓健-Anthogyr	Abutment System-Abutment	ATG Multi Unit ϕ 4.8 18° GH=4.5 H=3.5
	71022840	安卓健-Anthogyr	Impression Coping	Pick-up ATG Multi Unit ϕ 4.0
	71022848	安卓健-Anthogyr	Impression Coping	Pick-up ATG Multi Unit ϕ 4.8 H=3.5 L
	19280001b	安卓健-Anthogyr	Abutment System-Jaw screw	ATG

雅定-ADIN

Code	Compatible brand	Product Name	Specification
13330352b	雅定-ADIN	Healing Abutment	3.5mmDOS 细 Healing Abutment, H 2mm
13330353b	雅定-ADIN	Healing Abutment	3.5mmDOS 细 Healing Abutment, H 3mm
13330354b	雅定-ADIN	Healing Abutment	3.5mmDOS 细 Healing Abutment, H 4mm
13330355b	雅定-ADIN	Healing Abutment	3.5mmDOS 细 Healing Abutment, H 5mm
13330356b	雅定-ADIN	Healing Abutment	3.5mmDOS 细 Healing Abutment, H 6mm
13330357b	雅定-ADIN	Healing Abutment	Customize
13330452b	雅定-ADIN	Healing Abutment	4.5mmDOS Standard Healing Abutment, H 2mm
13330453b	雅定-ADIN	Healing Abutment	4.5mmDOS Standard Healing Abutment, H 3mm
13330454b	雅定-ADIN	Healing Abutment	4.5mmDOS Standard Healing Abutment, H 4mm
13330455b	雅定-ADIN	Healing Abutment	4.5mmDOS Standard Healing Abutment, H 5mm
13330456b	雅定-ADIN	Healing Abutment	4.5mmDOS Standard Healing Abutment, H 6mm
13330457b	雅定-ADIN	Healing Abutment	Customize
13330602b	雅定-ADIN	Healing Abutment	6.0mmDOS Wide Healing Abutment, H 2mm
13330603b	雅定-ADIN	Healing Abutment	6.0mmDOS Wide Healing Abutment, H 3mm
13330604b	雅定-ADIN	Healing Abutment	6.0mmDOS Wide Healing Abutment, H 4mm
13330605b	雅定-ADIN	Healing Abutment	6.0mmDOS Wide Healing Abutment, H 5mm
13330606b	雅定-ADIN	Healing Abutment	6.0mmDOS Wide Healing Abutment, H 6mm
13330607b	雅定-ADIN	Healing Abutment	6.0mmDOS Wide Healing Abutment, H 7mm
14330001	雅定-ADIN	Abutment	OS titanium Temporary Abutment, ϕ 4.5mm, Anti-rotation type
14330110	雅定-ADIN	Abutment	OS Aesthetic bonding Abutment, ϕ 4mm, GH 1mm
14330111	雅定-ADIN	Abutment	OS Aesthetic bonding Abutment, ϕ 4mm, GH 2mm
14330112	雅定-ADIN	Abutment	OS Aesthetic bonding Abutment, ϕ 4mm, GH 3mm
14330120	雅定-ADIN	Abutment	OS Standard bonding Abutment, ϕ 4.5mm, Piercing the gum GH Grindable
14330131	雅定-ADIN	Abutment	OS Standard bonding Abutment, ϕ 4.5mm, Piercing the gum GH 1mm
14330132	雅定-ADIN	Abutment	OS Standard bonding Abutment, ϕ 4.5mm, Piercing the gum GH 2mm
14330133	雅定-ADIN	Abutment	OS Standard bonding Abutment, ϕ 4.5mm, Piercing the gum GH 3mm
14330134	雅定-ADIN	Abutment	OS Standard bonding Abutment, ϕ 4.5mm, Piercing the gum GH 4mm
14330135	雅定-ADIN	Abutment	OS Standard bonding Abutment, ϕ 4.5mm, Piercing the gum GH 5mm
15330204b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 0°, ϕ 5.0mm, GH=1mm
15330205b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 0°, ϕ 5.0mm, GH=2mm
15330206b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 0°, ϕ 5.0mm, GH=3mm
15330207b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 0°, ϕ 5.0mm, GH=4mm
15330208b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 0°, ϕ 5.0mm, GH=5mm
15330209b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 17°, ϕ 5.0mm, GH=2mm
15330210b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 17°, ϕ 5.0mm, GH=3mm
15330211b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 17°, ϕ 5.0mm, GH=4mm
15330212b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 17°, ϕ 5.0mm, GH=5mm
15330213b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 30°, ϕ 5.0mm, GH=3mm
15330214b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 30°, ϕ 5.0mm, GH=4mm
15330215b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 30°, ϕ 5.0mm, GH=5mm
15330216b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 30°, ϕ 5.0mm, GH=6mm
15330217b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 30°, ϕ 5.0mm, GH=7mm
15330218b	雅定-ADIN	Abutment System-Abutment	OS Multi Unit Abutment 30°, ϕ 5.0mm, GH=8mm
15330219b	雅定-ADIN	Abutment System-Healing Cap	Multi Unit Healing Cap, ϕ 5.0mm
15330220b	雅定-ADIN	Abutment System-temporary Cylinder	Multi Unit Temporary Cylinder ϕ 5.0mm
15330222	雅定-ADIN	Digital Analog	OS Plaster Analog
15330223	雅定-ADIN	Digital Analog	Multi Unit Plaster Analog
15330224	雅定-ADIN	Impression Coping	OS Thin Pick-up Impression Coping 3.6D*10mmL
15330225	雅定-ADIN	Impression Coping	OS Thin Pick-up Impression Coping 3.6D*14mmL
15330226	雅定-ADIN	Impression Coping	OS Standard Pick-up Impression Coping 4.5D*10mmL
15330227	雅定-ADIN	Impression Coping	OS Thin Pick-up Impression Coping 4.5D*14mmL
15330228	雅定-ADIN	Impression Coping	OS Thin Closed-window Impression Coping 3.5D*9mmL
15330229	雅定-ADIN	Impression Coping	OS Standard Closed-window Impression Coping 4.5D*9mmL
15330230	雅定-ADIN	Impression Coping	OS Thin Closed-window Impression Coping 3.5D*13mmL
15330231	雅定-ADIN	Impression Coping	OS Standard Closed-window Impression Coping 4.5D*13mmL
15330232	雅定-ADIN	Torque wrench	Multi Unit Abutment Torque wrench, Long
15330233	雅定-ADIN	Impression Coping	Multi Unit Pick-up
15330234	雅定-ADIN	Impression Coping	Multi Unit Closed-window

雅植-ABT

Code	Compatible brand	Product Name	Specification
13340003b	雅植-ABT	Healing Abutment	hex socket ϕ 3.85 H=3
13340004b	雅植-ABT	Healing Abutment	hex socket ϕ 3.85 H=4
13340005b	雅植-ABT	Healing Abutment	hex socket ϕ 3.85 H=5
13340102b	雅植-ABT	Healing Abutment	hex socket ϕ 4.6 H=2
13340103b	雅植-ABT	Healing Abutment	hex socket ϕ 4.6 H=3
13340104b	雅植-ABT	Healing Abutment	hex socket ϕ 4.6 H=4
13340105b	雅植-ABT	Healing Abutment	hex socket ϕ 4.6 H=5
13340106b	雅植-ABT	Healing Abutment	hex socket ϕ 4.6 H=6
13340107b	雅植-ABT	Healing Abutment	hex socket ϕ 4.6 H=7
13340201b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 5 H=3
13340202b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 5 H=5
13340203b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 5.5 H=3
13340204b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 5.5 H=5
13340205b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 6 H=3
13340206b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 6 H=5
13340207b	雅植-ABT	Healing Abutment	hex socket Wide ϕ 7 H=3
13340301b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.0 GH=1.5 H=3
13340302b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.0 GH=2.5 H=4
13340303b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.0 GH=3.5 H=5
13340304b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.0 GH=4.5 H=6
13340305b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.0 GH=5.5 H=7
13340311b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.9 GH=1.5 H=3
13340312b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.9 GH=2.5 H=4
13340313b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.9 GH=3.5 H=5
13340314b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.9 GH=4.5 H=6
13340315b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 4.9 GH=5.5 H=7
13340321b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 6.2 GH=1.5 H=3
13340322b	雅植-ABT	Healing Abutment	Conical connection CS ϕ 6.2 GH=2.5 H=4
14340001	雅植-ABT	Abutment	hex socket Temporary ϕ 4.5 GH=1.7 H=9.5 Anti-rotation
14340115b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 0° GH=1.5
14340125b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 0° GH=2.5
14340135b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 0° GH=3.5
14340145b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 0° GH=4.5
14340215b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 15° GH=1.5
14340225b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 15° GH=2.5
14340315b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 25° GH=1.5
14340325b	雅植-ABT	Abutment	Conical connection CS aesthetics ϕ 4.8 25° GH=2.5
14341101b	雅植-ABT	Abutment	hex socket IH Bonding 0° aesthetics ϕ 4.5 GH=1
14341102b	雅植-ABT	Abutment	hex socket IH Bonding 0° aesthetics ϕ 4.5 GH=2
14341103b	雅植-ABT	Abutment	hex socket IH Bonding 0° aesthetics ϕ 4.5 GH=3
14341104b	雅植-ABT	Abutment	hex socket IH Bonding 0° aesthetics ϕ 4.5 GH=4
15340047	雅植-ABT	Abutment	hex socket AP Multi Unit Temporary
15340001b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 0° GH=2.5
15340002b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 0° GH=3.5
15340003b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 17° GH=2.5
15340004b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 17° GH=3.5
15340005b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 30° GH=2.5
15340006b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 30° GH=3.5
15340007b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 0° GH=1.5
15340009b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 30° GH=1.5
15340045b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 0° GH=4.5
15340055b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 0° GH=5.5
15340115b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 17° GH=1.5
15340215b	雅植-ABT	Abutment System-Abutment	hex socket AP Multi Unit 30° GH=1.5
15341001b	雅植-ABT	Abutment System-Abutment	Conical connection CS Multi Unit° GH=0.75
15341002b	雅植-ABT	Abutment System-Abutment	Conical connection CS Multi Unit° GH=1.5
15341003b	雅植-ABT	Abutment System-Abutment	Conical connection CS Multi Unit° GH=2.5
15341004b	雅植-ABT	Abutment System-Abutment	Conical connection CS Multi Unit° GH=3.5
15341005b	雅植-ABT	Abutment System-Abutment	Conical connection CS Multi Unit° GH=4.5
15341006b	雅植-ABT	Abutment System-Abutment	Conical connection CS Multi Unit° GH=5.5
15341115b	雅植-ABT	Abutment System-Abutment	锥形连接 CS 复合 17° GH=1.5

Code	Compatible brand	Product Name	Specification
15341125b	雅植-ABT	Abutment System-Abutment	锥形连接 CS 复合 17° GH=2.5
15341135b	雅植-ABT	Abutment System-Abutment	锥形连接 CS 复合 17° GH=3.5
15341215b	雅植-ABT	Abutment System-Abutment	锥形连接 CS 复合 17° GH=1.5
15341225b	雅植-ABT	Abutment System-Abutment	锥形连接 CS 复合 17° GH=2.5
15341235b	雅植-ABT	Abutment System-Abutment	锥形连接 CS 复合 17° GH=3.5
16340001b	雅植-ABT	Abutment System-Healing Cap	Multi Unit Φ 4.7 L=4
16340002b	雅植-ABT	Abutment System-Healing Cap	Multi Unit Φ 4.7 L=6
61013401	雅植-ABT	Digital Analog	hex socket Plaster Analog
61013402	雅植-ABT	Digital Analog	NarrowConical connection CHC Plaster Analog
61013447	雅植-ABT	Digital Analog	hex socket Multi Unit Plaster Analog
61023411	雅植-ABT	Impression Coping	hex socket Pick-up Standard
61023412	雅植-ABT	Impression Coping	hex socket Pick-up Short
61023421	雅植-ABT	Impression Coping	Pick-up Conical connection CS ϕ 4.7 L=15 C
61023422	雅植-ABT	Impression Coping	Pick-up Conical connection CS ϕ 4.7 L=19 C
61023423	雅植-ABT	Impression Coping	Closed-window Conical connection CS ϕ 4.7 L=12 C
61023424	雅植-ABT	Impression Coping	Closed-window Conical connection CS ϕ 4.7 L=15 C
61023451	雅植-ABT	Impression Coping	Closed-window AP ϕ 4.5 L=12 C
61023452	雅植-ABT	Impression Coping	Closed-window AP ϕ 4.5 L=7.5 C
61023453	雅植-ABT	Impression Coping	Closed-window AP ϕ 3.8 L=12 C
71023447	雅植-ABT	Impression Coping	hex socket Multi Unit Pick-up Non-rotational
71023448	雅植-ABT	Impression Coping	hex socket Multi Unit Closed-window Anti-rotation

Code	Compatible brand	Product Name	Specification
13151216	迪耀-DIO	Healing Abutment	UFII R/W ϕ 4.6 GH=3 H=5.5
13151217	迪耀-DIO	Healing Abutment	UFII R/W ϕ 4.6 GH=4 H=7
13151222	迪耀-DIO	Healing Abutment	UFII R/W ϕ 5.6 GH=2 H=2
13151224	迪耀-DIO	Healing Abutment	UFII R/W ϕ 5.6 GH=2 H=4
13151226	迪耀-DIO	Healing Abutment	UFII R/W ϕ 5.6 GH=3 H=5.5
13151227	迪耀-DIO	Healing Abutment	UFII R/W ϕ 5.6 GH=4 H=7
13151232	迪耀-DIO	Healing Abutment	UFII R/W ϕ 6.6 GH=2 H=2
13151234	迪耀-DIO	Healing Abutment	UFII R/W ϕ 6.6 GH=2 H=4
13151236	迪耀-DIO	Healing Abutment	UFII R/W ϕ 6.6 GH=3 H=5.5
13151237	迪耀-DIO	Healing Abutment	UFII R/W ϕ 6.6 GH=4 H=7
13151242	迪耀-DIO	Healing Abutment	UFII R/W ϕ 7.6 GH=2 H=2
13151244	迪耀-DIO	Healing Abutment	UFII R/W ϕ 7.6 GH=2 H=4
13151246	迪耀-DIO	Healing Abutment	UFII R/W ϕ 7.6 GH=3 H=5.5
13151247	迪耀-DIO	Healing Abutment	UFII R/W ϕ 7.6 GH=4 H=7
13151252	迪耀-DIO	Healing Abutment	UFII R/W ϕ 8.2 GH=1 H=2
13151253	迪耀-DIO	Healing Abutment	UFII R/W ϕ 8.2 GH=2 H=3
13151254	迪耀-DIO	Healing Abutment	UFII R/W ϕ 8.2 GH=3 H=4
13151255	迪耀-DIO	Healing Abutment	UFII R/W ϕ 8.2 GH=4 H=5
13151262	迪耀-DIO	Healing Abutment	UFII R/W ϕ 9.2 GH=1 H=2
13151263	迪耀-DIO	Healing Abutment	UFII R/W ϕ 9.2 GH=2 H=3
13151264	迪耀-DIO	Healing Abutment	UFII R/W ϕ 9.2 GH=3 H=4
13151265	迪耀-DIO	Healing Abutment	UFII R/W ϕ 9.2 GH=4 H=5
14150221	迪耀-DIO	Abutment	R/W ϕ 4.5 H=7 GH=1
14150222	迪耀-DIO	Abutment	R/W ϕ 4.5 H=7 GH=2
14150223	迪耀-DIO	Abutment	R/W ϕ 4.5 H=7 GH=3
14150224	迪耀-DIO	Abutment	R/W ϕ 4.5 H=7 GH=4
14150225	迪耀-DIO	Abutment	R/W ϕ 4.5 H=7 GH=5
14150251	迪耀-DIO	Abutment	R/W ϕ 5.5 H=7 GH=1
14150252	迪耀-DIO	Abutment	R/W ϕ 5.5 H=7 GH=2
14150253	迪耀-DIO	Abutment	R/W ϕ 5.5 H=7 GH=3
15150101b	迪耀-DIO	Abutment System-Abutment	UF R 0° Multi Unit ϕ 4.8 GH=1.5
15150102b	迪耀-DIO	Abutment System-Abutment	UF R 0° Multi Unit ϕ 4.8 GH=2.5
15150103b	迪耀-DIO	Abutment System-Abutment	UF R 0° Multi Unit ϕ 4.8 GH=3.5
15150104b	迪耀-DIO	Abutment System-Abutment	UF R 0° Multi Unit ϕ 4.8 GH=4.5
15150111b	迪耀-DIO	Abutment System-Abutment	UF R 20° Multi Unit ϕ 4.8 GH=2.5 C
15150112b	迪耀-DIO	Abutment System-Abutment	UF R 20° Multi Unit ϕ 4.8 GH=3.5 C
15150113b	迪耀-DIO	Abutment System-Abutment	UF R 20° Multi Unit ϕ 4.8 GH=4.5 C
15150114b	迪耀-DIO	Abutment System-Abutment	UF R 20° Multi Unit ϕ 4.8 GH=5.5 C
15150121b	迪耀-DIO	Abutment System-Abutment	UF R 30° Multi Unit ϕ 4.8 GH=3.5 C
15150122b	迪耀-DIO	Abutment System-Abutment	UF R 30° Multi Unit ϕ 4.8 GH=4.5 C
15150123b	迪耀-DIO	Abutment System-Abutment	UF R 30° Multi Unit ϕ 4.8 GH=5.5 C
16150001	迪耀-DIO	Basal Cap	Multi Unit ϕ 5 L=5
17150004	迪耀-DIO	Basal Cap	Temporary Multi Unit ϕ 5.4 L=12 B
17150005	迪耀-DIO	Basal Cap	UF Temporary Multi Unit ϕ 4.8 base
61011521	迪耀-DIO	Digital Analog	Narrow Plaster Analog
61011531	迪耀-DIO	Digital Analog	Regular Plaster Analog
61011548	迪耀-DIO	Digital Analog	Multi Unit Plaster Analog
61021501	迪耀-DIO	Impression Coping	Pick-up DIO UFII N ϕ 4.0 L=12 Anti-rotation
61021502	迪耀-DIO	Impression Coping	Pick-up DIO UFII N ϕ 4.0 L=12 Non-Anti-rotation
61021503	迪耀-DIO	Impression Coping	Pick-up DIO UFII N ϕ 4.0 L=14 Anti-rotation
61021505	迪耀-DIO	Impression Coping	Pick-up DIO UFII N ϕ 4.0 L=16 Anti-rotation
61021511	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.0 L=9 Anti-rotation
61021513	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.0 L=13 Anti-rotation
61021515	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.0 L=17 Anti-rotation
61021517	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.0 L=19 Anti-rotation
61021519	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.5 L=9 Anti-rotation
61021521	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.5 L=13 Anti-rotation
61021523	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.5 L=17 Anti-rotation

Code	Compatible brand	Product Name	Specification
61021525	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 4.5 L=19 Anti-rotation
61021527	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 5.5 L=9 Anti-rotation
61021529	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 5.5 L=13 Anti-rotation
61021531	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 5.5 L=17 Anti-rotation
61021533	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 5.5 L=19 Anti-rotation
61021537	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 6.5 L=13 Anti-rotation
61021539	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 6.5 L=17 Anti-rotation
61021541	迪耀-DIO	Impression Coping	Pick-up DIO UFII R/W ϕ 6.5 L=19 Anti-rotation
61021551	迪耀-DIO	Impression Coping	Closed-window DIO UFII N ϕ 4.0 L=13 Anti-rotation
61021553	迪耀-DIO	Impression Coping	Closed-window DIO UFII N ϕ 4.0 L=15 Anti-rotation
61021554	迪耀-DIO	Impression Coping	Closed-window DIO UFII N ϕ 4.0 L=15 Non-Anti-rotation
61021555	迪耀-DIO	Impression Coping	Closed-window DIO UFII N ϕ 4.0 L=17 Anti-rotation
61021563	迪耀-DIO	Impression Coping	Closed-window DIO UFII R/W ϕ 4.0 L=15 Anti-rotation
61021565	迪耀-DIO	Impression Coping	Closed-window DIO UFII R/W ϕ 4.5 L=10 Anti-rotation
61021567	迪耀-DIO	Impression Coping	Closed-window DIO UFII R/W ϕ 4.5 L=15 Anti-rotation
61021571	迪耀-DIO	Impression Coping	Closed-window DIO UFII R/W ϕ 5.5 L=15 Anti-rotation
61091501	迪耀-DIO	Torque wrench	Multi UnitStraight Abutment Screwdriver
71021502	迪耀-DIO	Impression Coping	Multi Unit Pick-up ϕ 4.8 L=11 B

Code	Compatible brand	Product Name	Specification
13190450	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 4.5 L10
13190453	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 4.5 L3
13190455	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 4.5 L5
13190457	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 4.5 L7
13190553	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 5.5 L3
13190555	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 5.5 L5
13190557	贝格-BEGO	Healing Abutment	SEM 3.25/3.75 ϕ 5.5 L7
13191500	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 5.0 L10
13191503	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 5.0 L3
13191505	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 5.0 L5
13191507	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 5.0 L7
13191603	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 6.0 L3
13191605	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 6.0 L5
13191607	贝格-BEGO	Healing Abutment	SEM 4.1 ϕ 6.0 L7
13192550	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 5.5 L10
13192553	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 5.5 L3
13192555	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 5.5 L5
13192557	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 5.5 L7
13192653	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 6.5 L3
13192655	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 6.5 L5
13192657	贝格-BEGO	Healing Abutment	SEM 4.5 ϕ 6.5 L7
13193653	贝格-BEGO	Healing Abutment	SEM 5.5 ϕ 6.5 L3
13193655	贝格-BEGO	Healing Abutment	SEM 5.5 ϕ 6.5 L5
13193657	贝格-BEGO	Healing Abutment	SEM 5.5 ϕ 6.5 L7
13193703	贝格-BEGO	Healing Abutment	SEM 5.5 ϕ 7.0 L3
13193705	贝格-BEGO	Healing Abutment	SEM 5.5 ϕ 7.0 L5
14195001	贝格-BEGO	Abutment	Temporary BG-SEM3.25/3.75 B
14195101	贝格-BEGO	Abutment	Temporary BG-SEM4.1 B
14195201	贝格-BEGO	Abutment	Temporary BG-SEM4.5 B
14195301	贝格-BEGO	Abutment	Temporary BG-SEM5.5 B
15190010b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM3.25/3.75 0° GH=1
15190030b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM3.25/3.75 0° GH=3
15190123b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM3.25/3.75 20° GH=2.3-0.6
15190140b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM3.25/3.75 20° GH=4.0-2.3
15190240b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM3.25/3.75 30° GH=4.0-1.5
15191010b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.1 0° GH=1
15191030b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.1 0° GH=3
15191123b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.1 20° GH=2.3-0.6
15191140b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.1 20° GH=4.0-2.3
15191240b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.1 30° GH=4.0-1.5
15192010b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.5 0° GH=1
15192030b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.5 0° GH=3
15192123b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.5 20° GH=2.3-0.6
15192140b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.5 20° GH=4.0-2.3
15192240b	贝格-BEGO	Abutment System-Abutment	Multi Unit BG-SEM4.5 30° GH=4.0-1.5
16190001b	贝格-BEGO	Abutment System-Healing Cap	Multi Unit L5
17190001b	贝格-BEGO	Abutment System-Temporary Cylinder	Multi Unit L11
61011911	贝格-BEGO	Digital Analog	3.75Plaster Analog
61011921	贝格-BEGO	Digital Analog	4.1Plaster Analog
61011931	贝格-BEGO	Digital Analog	4.5Plaster Analog
61011941	贝格-BEGO	Digital Analog	5.5Plaster Analog
61011951	贝格-BEGO	Digital Analog	Multi Unit Plaster Analog
61021901	贝格-BEGO	Impression Coping	Pick-up SC/SCX 3.25
61021902	贝格-BEGO	Impression Coping	Pick-up SC/SCX/RS/RXS 3.75
61021903	贝格-BEGO	Impression Coping	Pick-up SC/SCX/RS/RXS 4.1
61021904	贝格-BEGO	Impression Coping	Pick-up SC/SCX/RS/RXS 4.5
61021905	贝格-BEGO	Impression Coping	Pick-up SC/SCX/RS/RXS 5.5

Code	Compatible brand	Product Name	Specification
61021951	贝格-BEGO	Impression Coping	Closed-window SC/SCX3.25
61021952	贝格-BEGO	Impression Coping	Closed-window SC/SCX/RS/RXS 3.75
61021953	贝格-BEGO	Impression Coping	Closed-window SC/SCX/RS/RXS 4.1
61021954	贝格-BEGO	Impression Coping	Closed-window SC/SCX/RS/RXS4.5
61021955	贝格-BEGO	Impression Coping	Closed-window SC/SCX/RS/RXS 5.5
61091901	贝格-BEGO	Torque wrench	Multi UnitStraight Abutment Torque Screwdriver
71021952	贝格-BEGO	Impression Coping	Pick-up Multi Unit BL=11
71021953	贝格-BEGO	Impression Coping	Pick-up Multi Unit BL=16

Code	Compatible brand	Product Name	Specification
13402410b	B&B	Healing Abutment	φ 4.0 GH=1
13402420b	B&B	Healing Abutment	φ 4.0 GH=2
13402430b	B&B	Healing Abutment	φ 4.0 GH=3
13402450b	B&B	Healing Abutment	φ 4.0 GH=5
13402470b	B&B	Healing Abutment	φ 4.0 GH=7
13402510b	B&B	Healing Abutment	φ 5.0 GH=1
13402520b	B&B	Healing Abutment	φ 5.0 GH=2
13402530b	B&B	Healing Abutment	φ 5.0 GH=3
13402550b	B&B	Healing Abutment	φ 5.0 GH=5
13402570b	B&B	Healing Abutment	φ 5.0 GH=7
13402610b	B&B	Healing Abutment	φ 6.0 GH=1
13402620b	B&B	Healing Abutment	φ 6.0 GH=2
13402630b	B&B	Healing Abutment	φ 6.0 GH=3
13402650b	B&B	Healing Abutment	φ 6.0 GH=5
13402670b	B&B	Healing Abutment	φ 6.0 GH=7
15405010b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=1.0
15405020b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=2.0
15405030b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=3.0
15405040b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=4.0
15405050b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=5.0
15405060b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=6.0
15405070b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 0° GH=7.0
15405110b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 17° GH=1.0
15405120b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 17° GH=2.0
15405130b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 17° GH=3.0
15405140b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 17° GH=4.0
15405150b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 17° GH=5.0
15405160b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 17° GH=6.0
15405210b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 30° GH=1.0
15405220b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 30° GH=2.0
15405230b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 30° GH=3.0
15405240b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 30° GH=4.0
15405250b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 30° GH=5.0
15405260b	B&B	Abutment System-Abutment	Multi Unit φ 5.0 30° GH=6.0
16405001b	B&B	Abutment System-Healing Cap	Multi Unit φ 5.0 L=5
17405001b	B&B	Abutment System-Temporary Cylinder	Multi Unit φ 5.0 L=12
61014021	B&B	Digital Analog	Plaster Analog
61014051	B&B	Digital Analog	Multi Unit Plaster Analog
61024020	B&B	Impression Coping	Anti-rotation Pick-up
61024021	B&B	Impression Coping	Non-rotational Pick-up
61024022	B&B	Impression Coping	LongAnti-rotation Pick-up
61024061	B&B	Impression Coping	Set(Short)
61024062	B&B	Impression Coping	Set(Long)
61094001	B&B	Torque wrench	Spine wrench
71024051	B&B	Impression Coping	Multi Unit Pick-up
71024090	B&B	Impression Coping	Multi Unit Closed-window

Code	Brand Name	Product Name	Specificaion
13320503	纽白特-NeoBiotech	Cover Screw	φ 5.5 GH=3
15320115b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 0° GH=1.5
15320125b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 0° GH=2.5
15320135b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 0° GH=3.5
15320145b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 0° GH=4.5
15320155b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 0° GH=5.5
15320165b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 0° GH=6.5
15321115b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 17° GH=1.5
15321125b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 17° GH=2.5
15321135b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 17° GH=3.5
15321145b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 17° GH=4.5
15322115b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 30° GH=1.5
15322125b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 30° GH=2.5
15322135b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 30° GH=3.5
15322145b	纽白特-NeoBiotech	Abutment System-Abutment	R Multi Unit 30° GH=4.5
16324801b	纽白特-NeoBiotech	Abutment System-Healing Cap	NEO Multi Unit Φ 4.8 L=5.0
17324801b	纽白特-NeoBiotech	Abutment System-Temporary Cylinder	NEO Multi Unit φ 4.8
61013248	纽白特-NeoBiotech	Digital Analog	Multi Unit Plaster Analog
61023222	纽白特-NeoBiotech	Impression Coping	Window-type R φ 4.8 long anti-rotation type
71023248	纽白特-NeoBiotech	Impression Coping	Multi Unit Pick-up

定制化产品

Customized products



Ruitaike has also conducted research and development mapping for products with relatively low demand on the market. If you have any needs for the following products, you can contact the sales department for customization. The minimum order quantity is 200. We do not carry out regular inventory production. If there are any modifications to the size and shape of individual products, such as simple changes in the diameter or through the jaw-line, you can also contact the sales department for customization.

Code	Compatible Brands	Name	Specification
19180001b	安克劳斯-Ankylos	Abutment System-Jaw screw	DSP-ANK
14180101b	安克劳斯-Ankylos	Abutment	ANK R Balance 0° B
14180111b	安克劳斯-Ankylos	Abutment	ANK R Balance 15° B
61040801	安克劳斯-Ankylos	Screw Driver	Ank
13660101b	implantswiss	Healing Abutment	implantswiss BL M ϕ 3.7 H=2.5
13660102b	implantswiss	Healing Abutment	implantswiss BL M ϕ 4.5 H=2.5
13660103b	implantswiss	Healing Abutment	implantswiss BL M ϕ 5.5 H=4.5
13660104b	implantswiss	Healing Abutment	implantswiss BL M ϕ 4.0 H=3.0
13660105b	implantswiss	Healing Abutment	implantswiss BL M ϕ 4.0 H=5.0
13660106b	implantswiss	Healing Abutment	implantswiss BL M ϕ 4.0 H=7.0
13660201b	implantswiss	Healing Abutment	implantswiss BL R ϕ 4.5 H=1.0
13660202b	implantswiss	Healing Abutment	implantswiss BL R ϕ 5.5 H=3.0
13660203b	implantswiss	Healing Abutment	implantswiss BL R ϕ 5.5 H=5.0
13660204b	implantswiss	Healing Abutment	implantswiss BL R ϕ 5.5 H=7.0
61016601	implantswiss	Digital Analog	implantswiss-BL-M-I
61016611	implantswiss	Digital Analog	implantswiss-BL-R-I
61026601	implantswiss	Impression Coping	Closed-window implantswiss BL M ϕ 3.7 L=14 C
61026611	implantswiss	Impression Coping	Closed-window implantswiss BL R ϕ 4.5 L=12.5 C
11450110	SG	Pre-milled Ti-blanks	SG-S-R-10C
13454525b	SG	Healing Abutment	SG 4525
13454535b	SG	Healing Abutment	SG 4535
13454545b	SG	Healing Abutment	SG 4545
13455525b	SG	Healing Abutment	SG 5525
13455535b	SG	Healing Abutment	SG 5535
61040601	拓美-Thommen	Screw Driver	Thommen
17304801b	百康特-Bioconcept	Abutment System-Temporary Cylinder	BIO Multi Unit ϕ 4.8 base
17374801b	康盛-Koncen	Abutment System-Temporary Cylinder	HT Multi Unit ϕ 4.8
19640001b	柯威尔-CWM	Abutment System-Jaw screw	COWELL
13610001b	利多齿-Leadoss	Healing Abutment	Leadoss BL NC ϕ 4 H5.0
13610002b	利多齿-Leadoss	Healing Abutment	Leadoss BL NC ϕ 4.5 $\times$ 3
13610003b	利多齿-Leadoss	Healing Abutment	Leadoss BL NC ϕ 4.5 $\times$ 5
13610004b	利多齿-Leadoss	Healing Abutment	Leadoss BL NC ϕ 4.5 $\times$ 7
15560015b	儒伽-ZUGA	Abutment	ZUGA ISK R 0° Multi Unit ϕ 4.8 GH=1.5
15560025b	儒伽-ZUGA	Abutment	ZUGA ISK R 0° Multi Unit ϕ 4.8 GH=2.5
15560035b	儒伽-ZUGA	Abutment	ZUGA ISK R 0° Multi Unit ϕ 4.8 GH=3.5
15560045b	儒伽-ZUGA	Abutment	ZUGA ISK R 0° Multi Unit ϕ 4.8 GH=4.5
15560125b	儒伽-ZUGA	Abutment	ZUGA ISK R 17° Multi Unit ϕ 4.8 GH=2.5
15560135b	儒伽-ZUGA	Abutment	ZUGA ISK R 17° Multi Unit ϕ 4.8 GH=3.5
15560235b	儒伽-ZUGA	Abutment	ZUGA ISK R 30° Multi Unit ϕ 4.8 GH=3.5
15560245b	儒伽-ZUGA	Abutment	ZUGA ISK R 30° Multi Unit ϕ 4.8 GH=4.5
16560001b	儒伽-ZUGA	Healing Cap	ZUGA ISK ϕ 5.0 L=4.15
17560001b	儒伽-ZUGA	Temporary Cylinder	ZUGA ISK Multi Unit ϕ 4.8 L=12.2
61015602	儒伽-ZUGA	Digital Analog	ZUGA-ISK-II
61015648	儒伽-ZUGA	Digital Analog	ZUGA-ISK Multi Unit ϕ 4.8 I
61065682	儒伽-ZUGA	Scan Body	ZUGA-ISK-R-I GH=8
71025601	儒伽-ZUGA	Impression Coping	Pick-up Multi Unit ZUGA ISK ϕ 4.8 L=11

Code	Compatible Brands	Name	Specification
19420001b	仕诺康-SNUC	Abutment System-Jaw screw	SNU-AF
19420002	仕诺康-SNUC	Central Screw	SNU-AF-R-10
19420003	仕诺康-SNUC	Central Screw	SNU-AF-M-10
61014202	仕诺康-SNUC	Digital Analog	SNU-AF-M-II
61014212	仕诺康-SNUC	Digital Analog	SNU-AF-R-II
61014251	仕诺康-SNUC	Digital Analog	Multi Unit SNUC ϕ 4.9 I
19380001b	威高-WEGO	Abutment System-Jaw screw	WEGO-WEG
15490020b	沃兰-Warantec	Abutment System-Abutment	WAR IT R 0° Multi Unit ϕ 5.0 GH=2.0
15490030b	沃兰-Warantec	Abutment System-Abutment	WAR IT R 0° Multi Unit ϕ 5.0 GH=3.0
15490120b	沃兰-Warantec	Abutment System-Abutment	WAR IT R 17° Multi Unit ϕ 5.0 GH=2.0
15490130b	沃兰-Warantec	Abutment System-Abutment	WAR IT R 17° Multi Unit ϕ 5.0 GH=3.0
15490220b	沃兰-Warantec	Abutment System-Abutment	WAR IT R 30° Multi Unit ϕ 5.0 GH=2.0
15490230b	沃兰-Warantec	Abutment System-Abutment	WAR IT R 30° Multi Unit ϕ 5.0 GH=3.0
15491020b	沃兰-Warantec	Abutment System-Abutment	WAR IT R Multi Unit ϕ 4.8 0° GH=2.0
15491030b	沃兰-Warantec	Abutment System-Abutment	WAR IT R Multi Unit ϕ 4.8 0° GH=3.0
15491130b	沃兰-Warantec	Abutment System-Abutment	WAR IT R Multi Unit ϕ 4.8 17° GH=3.0
15491230b	沃兰-Warantec	Abutment System-Abutment	WAR IT R Multi Unit ϕ 4.8 30° GH=3.0
17490001b	沃兰-Warantec	Temporary Cylinder	WAR IT R Multi Unit ϕ 5.5 L=12
61014921	沃兰-Warantec	Digital Analog	沃兰-Warantec-IT-R-I
13410461b	西傲-CLC	Healing Abutment	CLC ϕ 4.5 $\times$ 6.0
13410525b	西傲-CLC	Healing Abutment	CLC ϕ 5.0 $\times$ 2.5
13410535b	西傲-CLC	Healing Abutment	CLC ϕ 5.0 $\times$ 3.5
13410545b	西傲-CLC	Healing Abutment	CLC ϕ 5.0 $\times$ 4.5
13410560b	西傲-CLC	Healing Abutment	CLC ϕ 5.0 $\times$ 6.0
13410561b	西傲-CLC	Healing Abutment	CLC ϕ 5.4 $\times$ 6.0
19410001	西傲-CLC	Bridge Screw	CLC-Conic
19410001b	西傲-CLC	Abutment System-Jaw screw	CLC-Conic
15670001b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 0° Multi Unit ϕ 4.8 GH=1.0
15670002b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 0° Multi Unit ϕ 4.8 GH=2.0
15670003b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 0° Multi Unit ϕ 4.8 GH=3.0
15670004b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 0° Multi Unit ϕ 4.8 GH=4.0
15670005b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 0° Multi Unit ϕ 4.8 GH=5.0
15670021b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 30° Multi Unit ϕ 4.8 GH=3.5
15670022b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 30° Multi Unit ϕ 4.8 GH=4.0
15670023b	西诺-Sinol	Abutment System-Abutment	SINOL KUNLUN R 30° Multi Unit ϕ 4.8 GH=5.0
13434502b	西泰克-C-TECH	Healing Abutment	CT EL-4502HT
13434503b	西泰克-C-TECH	Healing Abutment	CT EL-4503HT
13434504b	西泰克-C-TECH	Healing Abutment	CT EL-4504HT
13434506b	西泰克-C-TECH	Healing Abutment	CT EL-4506HT
13435502b	西泰克-C-TECH	Healing Abutment	CT EL-5502HT
13435503b	西泰克-C-TECH	Healing Abutment	CT EL-5503HT
13435504b	西泰克-C-TECH	Healing Abutment	CT EL-5504HT
13435506b	西泰克-C-TECH	Healing Abutment	CT EL-5506HT
61014301	西泰克-C-TECH	Digital Analog	CT-EL-R-I
61024202	西泰克-C-TECH	Impression Coping	Pick-up CT EL-4544S
61024203	西泰克-C-TECH	Impression Coping	Pick-up CT EL-5050L
61024204	西泰克-C-TECH	Impression Coping	Pick-up CT EL-5050S
61024211	西泰克-C-TECH	Impression Coping	Closed-window CT EL-4540L
61024212	西泰克-C-TECH	Impression Coping	Closed-window CT EL-4540

Code	Compatible Brands	Name	Specification
61024213	西泰克-C-TECH	Impression Coping	Closed-window CT EL-4541M
61024214	西泰克-C-TECH	Impression Coping	Closed-window CT EL-4541S
61024215	西泰克-C-TECH	Impression Coping	Closed-window CT EL-45 L=12.5
61024216	西泰克-C-TECH	Impression Coping	Closed-window CT EL-45 L=9.5
61024201	西泰克-C-TECH	Impression Coping	Pick-up CT EL-4544L
19530001b	熙直美-CSM	Abutment System-Jaw screw	CSM-CS
19260001b	科美乐-Camlog	Abutment System-Jaw screw	camlog-SL
13270244	登特斯-Dentist	Healing Abutment	DTS SQ R ϕ 4.5 H=4.0
13270254	登特斯-Dentist	Healing Abutment	DTS SQ R ϕ 5.5 H=4.0
14271213	登特斯-Dentist	Abutment	DTS SQ R Bonding ϕ 4.5 GH=4.0 AH=5.5 C
14271223	登特斯-Dentist	Abutment	DTS SQ R Bonding ϕ 5.5 GH=4.0 AH=5.5 C
15290035b	ICX	Abutment System-Abutment	ICX-R Multi Unit 17° GH=3.5
15290135b	ICX	Abutment System-Abutment	ICX-R Multi Unit 35° GH=3.5
19290001b	ICX	Abutment System-Jaw screw	ICX-templant
61040501	ICX	Screw Driver	ICX
13390342b	3I	Healing Abutment	3I ISMHA32
13390343b	3I	Healing Abutment	3I ISMHA33
13390344b	3I	Healing Abutment	3I ISMHA34
13390346b	3I	Healing Abutment	3I ISMHA36
13390382b	3I	Healing Abutment	3I IMHA32
13390383b	3I	Healing Abutment	3I IMHA33
13390384b	3I	Healing Abutment	3I IMHA34
13390386b	3I	Healing Abutment	3I IMHA36
13391412b	3I	Healing Abutment	3I ISHA42
13391413b	3I	Healing Abutment	3I ISHA43
13391414b	3I	Healing Abutment	3I ISHA44
13391416b	3I	Healing Abutment	3I ISHA46
13391418b	3I	Healing Abutment	3I ISHA48
13391502b	3I	Healing Abutment	3I ITHA52
13391503b	3I	Healing Abutment	3I ITHA53
13391504b	3I	Healing Abutment	3I ITHA54
13391506b	3I	Healing Abutment	3I ITHA56
13391508b	3I	Healing Abutment	3I ITHA58
13392502	3I	Healing Abutment	3I ISWHA52
13392503	3I	Healing Abutment	3I ISWHA53
13392504	3I	Healing Abutment	3I ISWHA54
13392506	3I	Healing Abutment	3I ISWHA56
13392508	3I	Healing Abutment	3I ISWHA58
13239101b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 5.5 H=6
13239102b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 5.5 H=8
13239103b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 5.5 H=10
13239104b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 5.5 H=4
13239111b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 4.5 H=4
13239112b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 4.5 H=6
13239113b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 4.5 H=8
13239114b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 4.5 H=10
13239121b	皆美-Zimmer	Healing Abutment	ZM-C-M ϕ 4.0 H=2
15010115b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 0° GH=1.5


Code	Compatible Brands	Name	Specification
15010125b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 0° GH=2.5
15010135b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 0° GH=3.5
15010215b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 0° GH=1.5
15010225b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 0° GH=2.5
15010235b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 0° GH=3.5
15011125b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 17° GH=2.5
15011135b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 17° GH=3.5
15011225b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 17° GH=2.5
15011235b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 17° GH=3.5
15012125b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 30° GH=2.5
15012135b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 30° GH=3.5
15012145b	皆美-Zimmer	Abutment System-Abutment	ZM-C-M Multi Unit 30° GH=4.5
15012235b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 30° GH=3.5
15012245b	皆美-Zimmer	Abutment System-Abutment	ZM-C-R Multi Unit 30° GH=4.5
15232020b	皆美-Zimmer	Abutment System-Abutment	ZM-TSV-4.5 Multi Unit 0° GH=2.0
15232030b	皆美-Zimmer	Abutment System-Abutment	ZM-TSV-4.5 Multi Unit 0° GH=3.0
61012301	皆美-Zimmer	Digital Analog	ZM-C-M-I
61022301	皆美-Zimmer	Impression Coping	Pick-up ZM-C M ϕ 3.6 L=13
61022302	皆美-Zimmer	Impression Coping	Pick-up ZM-C M ϕ 3.6 L=15.75
61022351	皆美-Zimmer	Impression Coping	Closed-window ZM-C M ϕ 4.3 L=12
61022352	皆美-Zimmer	Impression Coping	Closed-window ZM-C M ϕ 4.3 L=14.65
14129101	奥齿泰-Osstem	Abutment	OSS TS M BASE I
14129111	奥齿泰-Osstem	Abutment	OSS TS R BASE I
17124802b	奥齿泰-Osstem	Abutment System-Temporary Cylinder	OSS Multi Unit ϕ 4.8 base
17125202b	奥齿泰-Osstem	Abutment System-Temporary Cylinder	OSS Multi Unit ϕ 4.8 base II
14119101	登腾-Dentium	Abutment	DEN BASE I
14140122b	诺保科-Nobel	Abutment	NBA NP Aesthetics 0° GH=1.5 D
14140123b	诺保科-Nobel	Abutment	NBA NP Aesthetics 0° GH=3 D
14140125b	诺保科-Nobel	Abutment	NBA NP Aesthetics 0° GH=4.5 D
14140222b	诺保科-Nobel	Abutment	NBA RP Aesthetics 0° GH=1.5 D
14140223b	诺保科-Nobel	Abutment	NBA RP Aesthetics 0° GH=3 D
14140225b	诺保科-Nobel	Abutment	NBA RP Aesthetics 0° GH=4.5 D
61021676	阿斯特拉-Astra	Impression Coping	Closed-window AST TX 3.0 L=19 I
61021687	阿斯特拉-Astra	Impression Coping	Closed-window AST TX 3.5/4.0 L=19 I
61021697	阿斯特拉-Astra	Impression Coping	Closed-window AST TX 4.5/5.0 L=19 I
61021911	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 3.25 L=16.5
61021912	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 3.75 L=16.5
61021913	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.1 L=16.5
61021914	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.5 L=16.5
61021915	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 5.5 L=16.5
61021922	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 3.75 L=20.3
61021923	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.1 L=20.3
61021924	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.5 L=20.3
61021925	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 5.5 L=20.3
61021932	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 3.75 L=20.3 Lengthen
61021933	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.1 L=20.3 Lengthen
61021934	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.5 L=20.3 Lengthen
61021935	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 5.5 L=20.3 Lengthen
61021942	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 3.75 L=20.3 Lengthen I

Code	Compatible Brands	Name	Specification
61021943	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.1 L=20.3 LengthenI
61021944	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.5 L=20.3 LengthenI
61021948	贝格-BEGO	Impression Coping	BEGO Pick-up SC/SCX/RS/RXS 4.5 L=20.3 LengthenII
61021964	贝格-BEGO	Impression Coping	BEGOClosed-window SC/SCX/RS/RXS 4.5 Lengthen
13590001b	尼奥斯-Neoss	Healing Abutment	NEOSS 3.25 ϕ 4.5 H=7
13590002b	尼奥斯-Neoss	Healing Abutment	NEOSS NP Conical ϕ 5 H=7
13590101b	尼奥斯-Neoss	Healing Abutment	NEOSS 4 ϕ 5.5 H=6
13590102b	尼奥斯-Neoss	Healing Abutment	NEOSS SP ϕ 4 H=7
13590103b	尼奥斯-Neoss	Healing Abutment	NEOSS SP ϕ 5 H=7
13590104b	尼奥斯-Neoss	Healing Abutment	NEOSS SP ϕ 6.5 H=7
13590105b	尼奥斯-Neoss	Healing Abutment	NEOSS SP ϕ 4 H=4
13590106b	尼奥斯-Neoss	Healing Abutment	NEOSS SP ϕ 4 H=6
13590107b	尼奥斯-Neoss	Healing Abutment	NEOSS SP Conical ϕ 5 H=7
13590108b	尼奥斯-Neoss	Healing Abutment	NEOSS SP Conical ϕ 6 H=7
14590022	尼奥斯-Neoss	Abutment	NEOSS NP ϕ 5 0° GH=3 H=6
14590023b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS NP ϕ 5 15° GH=3 H=6
14590024b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS SP ϕ 5 0° GH=3 H=6
14590025b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS SP ϕ 5 15° GH=3 H=6
14590031	尼奥斯-Neoss	Abutment	NEOSS NP Conical ϕ 5 0° GH=3 H=6
14590032	尼奥斯-Neoss	Abutment	NEOSS NP Conical ϕ 5 15° GH=3 H=6
14590041	尼奥斯-Neoss	Abutment	NEOSS SP Conical ϕ 5 0° GH=3 H=6
14590042	尼奥斯-Neoss	Abutment	NEOSS SP Conical ϕ 5 15° GH=3 H=6
15590001b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 0° GH=1.5
15590002b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 0° GH=3.0
15590003b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 0° GH=4.0
15590011b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 17° GH=2.6
15590012b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 17° GH=4.6
15590021b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 30° GH=2.9
15590022b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS Multi Unit 30° GH=4.9
15590101b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS SP Multi Unit 0° GH=3 I
15590103b	尼奥斯-Neoss	Abutment	NEOSS SP Multi Unit 0° GH=2 I
15590104b	尼奥斯-Neoss	Abutment	NEOSS SP Multi Unit 0° GH=4 I
15590111b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS SP Multi Unit 17° GH=3 I
15590113b	尼奥斯-Neoss	Abutment	NEOSS SP Multi Unit 17° GH=4 I
15590121b	尼奥斯-Neoss	Abutment System-Abutment	NEOSS SP Multi Unit 30° GH=3 I
15590123b	尼奥斯-Neoss	Abutment	NEOSS SP Multi Unit 30° GH=4 I
16590001b	尼奥斯-Neoss	Abutment System-Healing Cap	NEOSS Multi Unit
16590002b	尼奥斯-Neoss	Abutment System-Healing Cap	NEOSS Multi Unit I
17590001b	尼奥斯-Neoss	Abutment System-Temporary Cylinder	NEOSS Temporary Multi Unit
17590002b	尼奥斯-Neoss	Abutment System-Temporary Cylinder	NEOSS Temporary Multi Unit I
19630001b	尼奥斯-Neoss	Abutment System-Jaw screw	Noris-NM
61015912	尼奥斯-Neoss	Digital Analog	NEOSS-US-NP-II
61015921	尼奥斯-Neoss	Digital Analog	Multi Unit NEOSS
61015922	尼奥斯-Neoss	Digital Analog	NEOSS-US-SP-II
61015923	尼奥斯-Neoss	Digital Analog	Multi Unit NEOSS-US-SP-II
61015951	尼奥斯-Neoss	Digital Analog	NEOSS-US-SP-I
61025901	尼奥斯-Neoss	Impression Coping	NEOSS L=11
61025902	尼奥斯-Neoss	Impression Coping	Closed-window NEOSS R L=8
61045902	尼奥斯-Neoss	Torque wrench	NEOSS L=25
61045903	尼奥斯-Neoss	Torque wrench	NEOSS L=35
61045911	尼奥斯-Neoss	Power screwdriver	NEOSS L=15
61045912	尼奥斯-Neoss	Power screwdriver	NEOSS L=25
61045913	尼奥斯-Neoss	Power screwdriver	NEOSS L=35

Code	Compatible Brands	Name	Specification
61090010	尼奥斯-Neoss	Torque wrench	NEOSS Multi Unit 0° 棘轮
61900007	尼奥斯-Neoss	整骨钻	NEOSS ϕ 5.1
61900008	尼奥斯-Neoss	Bone drill	NEOSS 4.1 Implant Level
61900009	尼奥斯-Neoss	Bone drill	NEOSS SP Cover Screw Level
61900010	尼奥斯-Neoss	Bone drill	NEOSS NP Cover Screw Level
61900011	尼奥斯-Neoss	Bone drill	NEOSS ϕ 6.6
71025901	尼奥斯-Neoss	Impression Coping	NEOSS Multi Unit
71025902	尼奥斯-Neoss	Impression Coping	Pick-up Multi Unit NEOSS-I
13240105b	喜客-SIC	Healing Abutment	SIC 3.3 ϕ 3.3 GH=5.0
13240107b	喜客-SIC	Healing Abutment	SIC 3.3 ϕ 3.3 GH=7.0
13240115b	喜客-SIC	Healing Abutment	SIC 3.3 ϕ 4.3 GH=5.0
13240117b	喜客-SIC	Healing Abutment	SIC 3.3 ϕ 4.3 GH=7.0
13240205b	喜客-SIC	Healing Abutment	SIC 4.2 ϕ 4.2 GH=5.0
13240215b	喜客-SIC	Healing Abutment	SIC 4.2 ϕ 5.3 GH=5.0
14241102	喜客-SIC	Abutment	SIC-ace/max-3.3 ant GH=2.0
14241202	喜客-SIC	Abutment	SIC-ace/max-4.2 ant GH=2.0
15240015b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 16° GH=1.5
15240030b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 16° GH=3.0
15240115b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 30° GH=1.5
15240130b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 30° GH=3.0
15240215b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 0° GH=1.5
15240230b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 0° GH=3.0
15240240b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 0° GH=4.0
15240250b	喜客-SIC	Abutment System-Abutment	SIC-3.3 Multi Unit 0° GH=5.0
15241015b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 16° GH=1.5
15241030b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 16° GH=3.0
15241115b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 30° GH=1.5
15241130b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 30° GH=3.0
15241215b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 0° GH=1.5
15241230b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 0° GH=3.0
15241240b	喜客-SIC	Abutment System-Abutment	SIC-4.2 Multi Unit 0° GH=4.0
16240001b	喜客-SIC	Abutment System-Healing Cap	SIC Multi Unit ϕ 5.0
17240001b	喜客-SIC	Abutment System-Temporary Cylinder	SIC Multi Unit
17240002b	喜客-SIC	Abutment System-Temporary Cylinder	SIC Multi Unit base
19240001b	喜客-SIC	Abutment System-Jaw screw	SIC
61012450	喜客-SIC	Digital Analog	SIC Multi Unit ϕ 5.0-I
61022403	喜客-SIC	Impression Coping	Pick-up SIC 3.3 H=13.8 S C
61022412	喜客-SIC	Impression Coping	Pick-up SIC 4.2 H=9.8 L C
61022414	喜客-SIC	Impression Coping	Pick-up SIC 4.2 H=13.8 L C
61022452	喜客-SIC	Impression Coping	Closed-window SIC 3.3 H=11.8 C
61092401	喜客-SIC	Torque wrench	SIC Multi Unit
71022450	喜客-SIC	Impression Coping	SIC Pick-up Multi Unit B
71022451	喜客-SIC	Impression Coping	SIC Closed-window Multi Unit B
15200015b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 0° ϕ 5.0 GH=1.5 C
15200025b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 0° ϕ 5.0 GH=2.5 C
15200035b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 0° ϕ 5.0 GH=3.5 C
15200045b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 0° ϕ 5.0 GH=4.5 C
15200055b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 0° ϕ 5.0 GH=5.5 C
15200110b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 17° ϕ 5.0 GH=1.0C
15200120b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 17° ϕ 5.0 GH=2.0C
15200130b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 17° ϕ 5.0 GH=3.0C
15200140b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit 17° ϕ 5.0 GH=4.0C

Code	Compatible Brands	Name	Specification
15200210b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit29° φ 5.0 GH=1.0C
15200220b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit29° φ 5.0 GH=2.0C
15200230b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit29° φ 5.0 GH=3.0C
15200240b	美格真-MEGAGEN	Abutment System-Abutment	MG AO R Multi Unit29° φ 5.0 GH=4.0C
16205001b	美格真-MEGAGEN	Abutment System-Healing Cap	MG AO Multi Unit φ 5.0
17200001b	美格真-MEGAGEN	Abutment System-Temporary Cylinder	MG AO Multi Unit
19200001b	美格真-MEGAGEN	Abutment System-Jaw screw	MG
61012032	美格真-MEGAGEN	Digital Analog	MG EZ PLUS R/W-II
61012050	美格真-MEGAGEN	Digital Analog	MG AO Multi Unit φ 5.0-I
71022051	美格真-MEGAGEN	Impression Coping	MG AO Pick-up Multi Unit B
13250102b	密斯-MIS	Healing Abutment	MIS MH-N2330
13250103b	密斯-MIS	Healing Abutment	MIS MH-N3330
13250104b	密斯-MIS	Healing Abutment	MIS MH-N4330
13250105b	密斯-MIS	Healing Abutment	MIS MH-N6330
13250106b	密斯-MIS	Healing Abutment	MIS MH-N8330
13250112b	密斯-MIS	Healing Abutment	MIS MH-52330
13250113b	密斯-MIS	Healing Abutment	MIS MH-53330
13250114b	密斯-MIS	Healing Abutment	MIS MH-54330
13250115b	密斯-MIS	Healing Abutment	MIS MH-55330
13250116b	密斯-MIS	Healing Abutment	MIS MH-56330
13250203	密斯-MIS	Healing Abutment	MIS MH-03375
13250204	密斯-MIS	Healing Abutment	MIS MH-04375
13250205	密斯-MIS	Healing Abutment	MIS MH-05375
13250206	密斯-MIS	Healing Abutment	MIS MH-06375
13250213b	密斯-MIS	Healing Abutment	MIS MH-A3375
13250214b	密斯-MIS	Healing Abutment	MIS MH-A4375
13250215b	密斯-MIS	Healing Abutment	MIS MH-A5375
13250216b	密斯-MIS	Healing Abutment	MIS MH-A6375
13250223b	密斯-MIS	Healing Abutment	MIS MH-53375
13250224b	密斯-MIS	Healing Abutment	MIS MH-54375
13250225b	密斯-MIS	Healing Abutment	MIS MH-55375
13250226b	密斯-MIS	Healing Abutment	MIS MH-56375
13250303b	密斯-MIS	Healing Abutment	MIS MH-W3500
13250304b	密斯-MIS	Healing Abutment	MIS MH-W4500
13250305b	密斯-MIS	Healing Abutment	MIS MH-W5500
13250313b	密斯-MIS	Healing Abutment	MIS MH-W3630
13250314b	密斯-MIS	Healing Abutment	MIS MH-W4630
13250315b	密斯-MIS	Healing Abutment	MIS MH-W5630
15250110b	密斯-MIS	Abutment System-Abutment	MIS SV N Multi Unit 0° φ 4.8 GH=1.0
15250120b	密斯-MIS	Abutment System-Abutment	MIS SV N Multi Unit 0° φ 4.8 GH=2.0
15250130b	密斯-MIS	Abutment System-Abutment	MIS SV N Multi Unit 0° φ 4.8 GH=3.0
15250140b	密斯-MIS	Abutment System-Abutment	MIS SV N Multi Unit 0° φ 4.8 GH=4.0
15250150b	密斯-MIS	Abutment System-Abutment	MIS SV N Multi Unit 0° φ 4.8 GH=5.0
15250210b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 0° φ 4.8 GH=1.0
15250220b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 0° φ 4.8 GH=2.0
15250230b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 0° φ 4.8 GH=3.0
15250240b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 0° φ 4.8 GH=4.0
15250250b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 0° φ 4.8 GH=5.0
15250310b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 0° φ 4.8 GH=1.0
15250320b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 0° φ 4.8 GH=2.0
15250330b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 0° φ 4.8 GH=3.0
15250340b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 0° φ 4.8 GH=4.0
15250350b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 0° φ 4.8 GH=5.0

Code	Compatible Brands	Name	Specification
15251110b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 17° ϕ 4.8 GH=1.0-3.0
15251120b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 17° ϕ 4.8 GH=2.0-4.0
15251210b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 17° ϕ 4.8 GH=1.0-3.0
15251220b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 17° ϕ 4.8 GH=2.0-4.0
15252110b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 30° ϕ 4.8 GH=1.0-4.0
15252120b	密斯-MIS	Abutment System-Abutment	MIS SV S Multi Unit 30° ϕ 4.8 GH=2.0-5.0
15252210b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 30° ϕ 4.8 GH=1.0-4.0
15252220b	密斯-MIS	Abutment System-Abutment	MIS SV W Multi Unit 30° ϕ 4.8 GH=2.0-5.0
16250001b	密斯-MIS	Abutment System-Healing Cap	MIS SV Multi Unit
17250001b	密斯-MIS	Abutment System-Temporary Cylinder	MIS Multi Unit
19250001b	密斯-MIS	Abutment System-Jaw screw	MS-SV
61012501	密斯-MIS	Digital Analog	MIS MN-RSM10
61012511	密斯-MIS	Digital Analog	MIS MD-RSM10
61012521	密斯-MIS	Digital Analog	MIS MW-RSM10
61012548	密斯-MIS	Digital Analog	MS SV Multi Unit-I
61022511	密斯-MIS	Impression Coping	MIS MD-I0375
71022501	密斯-MIS	Impression Coping	MS SV Pick-up Multi Unit
71022511	密斯-MIS	Impression Coping	MS SV Closed-window Multi Unit
89000002	密斯-MIS	Impression Coping	MIS MW-I0470



Product Introduction

Tool Box Series



Screwdriver Instrument Kit

临床修复工具箱


Code: 61041000



Ruitaite technician Repair screwdriver set, with a multi-flute handle design to enhance the grip, made of carefully selected raw materials, durable, finely polished, closely fitting, and available in multiple sizes to meet the common needs of different brands.

Positioning Screw Set

定位螺丝套装



Ruitaike bone increment positioning screw products come in various shapes and sizes, flexibly applicable to all kinds of bone increment surgeries.

Positioning Screw Set				
System Name	Common Name	Product Code	Specifications	Simple Diagram
Staple Cartridge	Red Staple Cartridge	61100000	Whole Set	
Staple Cartridge	Staple Cartridge	61100006	Empty Box	
Positioning Screw	Tent Pegs	61080106	I type 6mm	
Positioning Screw	Tent Pegs	61080108	I type 8mm	
Positioning Screw	Tent Pegs	61080110	I type 10mm	
Positioning Screw	Membrane Nail	61080001	3mm	
Positioning Screw	Membrane Nail	61080002	5mm	
Positioning Screw	Bone Nail	61080204	Cross 4mm	
Positioning Screw	Bone Nail	61080206	Cross 6mm	
Positioning Screw	Bone Nail	61080208	Cross 8mm	
Positioning Screw	Bone Nail	61080210	Cross 10mm	
Screwdriver	Screwdriver	61120002	Machine Cross	
Screwdriver	Screwdriver	61041501	Hand Cross	
Hole Guide	Hole Guide	61100001	/	
Nail Grabber	Nail Grabber	61100002	Straight	
Nail Grabber	Nail Grabber	61100003	Bend	
Torque Wrench	Torque Wrench	61090003	Quick Wrench-I	
Drill	Drill	61900001	Φ0.9 × 30.1	
RoundStaple Cartridge (place 2 membrane nails of specified specifications)				
System Name	Common Name	Product Code	Specifications	Simple diagram
Staple Cartridge	Round Staple Cartridge	61100004	Empty Box&15 pore	
Positioning Screw	Membrane Nail	61080001	3mm	
Positioning Screw	Membrane Nail	61080002	5mm	

Broken Nail Removal Tool Box

断钉取出工具箱



Ruitaike Broken nail removal tool box, eliminating your worries. A implant brand compatible with multiple interfaces, it can perfectly remove in various situations. Whether it's a stripped thread or a broken screw, it can complete the removal, providing you with a solution other than re-implantation.

Broken Nail Removal Tool Box				
System Name	Common Name	Product Code	Specifications	Simple Diagram
Broken Nail Removal Tool Box	Broken Nail Removal Tool Box	61200000	/	
Broken Nail Removal Tool Box	Broken Nail Removal Tool Box	61201002	Empty Box	
Dental Soft Tissue Cutter	Circular Cutting Knife	61200001	Φ 4.0	
Dental Soft Tissue Cutter	Circular Cutting Knife	61200002	Φ 5.0	
Drill	Drill	61200015	Flat Drill Φ 0.8 reverse	
Drill	Drill	61200016	Flat Drill Φ 1.0 reverse	
Drill	Drill	61200017	Flat Drill Φ 1.2 reverse	
Drill	Drill	61200068	Flat Drill Φ 1.4 reverse	
Drill	Drill	61200069	Flat Drill Φ 1.6 forward	
Drill	Drill	61200018	Reverse Clamping Drill M1.6	
Drill	Drill	61200019	Reverse Clamping Drill M1.8	
Drill	Drill	61200020	Reverse Clamping Drill M2.0	
Dental Manual Tap	Manual Tapping Drill	61200021	Φ 1.6	
Dental Manual Tap	Manual Tapping Drill	61200022	Φ 1.8	
Dental Manual Tap	Manual Tapping Drill	61200023	Φ 2.0	
Dental Manual Tap	Manual Tapping Drill	61200024	Reverse Carrier	
Dental Manual Tap	Manual Tapping Drill	61200031	Φ 1.4 × 0.35	
Dental Manual Tap	Manual Tapping Drill	61200032	Φ 1.5 × 0.35	
Dental Manual Tap	Manual Tapping Drill	61200033	Φ 1.6 × 0.35	
Dental Manual Tap	Manual Tapping Drill	61200034	Φ 1.6 × 0.35-I	
Dental Manual Tap	Manual Tapping Drill	61200035	Φ 1.7 × 0.35	
Dental Manual Tap	Manual Tapping Drill	61200036	Φ 1.8 × 0.35	
Dental Manual Tap	Manual Tapping Drill	61200037	Φ 1.8 × 0.4	
Dental Manual Tap	Manual Tapping Drill	61200038	Φ 1.9 × 0.4	
Dental Manual Tap	Manual Tapping Drill	61200039	Φ 2.0 × 0.4	
Drill Guide	Drill Guide	61200040	OSS-R-L	
Drill Guide	Drill Guide	61200041	OSS-R-S	
Drill Guide	Drill Guide	61200042	BL-N-L	
Drill Guide	Drill Guide	61200043	BL-N-S	
Drill Guide	Drill Guide	61200044	BL-R-L	
Drill Guide	Drill Guide	61200045	BL-R-S	
Drill Guide	Drill Guide	61200046	NBA-N-L	
Drill Guide	Drill Guide	61200047	NBA-N-S	
Drill Guide	Drill Guide	61200048	NBA-R-L	
Drill Guide	Drill Guide	61200049	NBA-R-S	
Drill Guide	Drill Guide	61200058	ABT-DFI-R-L	
Drill Guide	Drill Guide	61200059	ABT-DFI-R-S	
Drill Guide	Drill Guide	61200060	ATG-AX-R-L	
Drill Guide	Drill Guide	61200061	ATG-AX-R-S	
Drill Guide	Drill Guide	61200062	ITI-BLX-RB-L	
Drill Guide	Drill Guide	61200063	ITI-BLX-RB-S	
Drill Guide	Drill Guide	61200064	OSS-M-L	
Drill Guide	Drill Guide	61200065	OSS-M-S	
Drill Guide	Drill Guide	61200066	Cone L	
Drill Guide	Drill Guide	61200067	Cone S	
Drill Guide Wrench	Guide Wrench	61200056	Curved-I	
Square Wrench	Fixed Wrench	61200057	Straight 3 × 3	

Zygomatic and alar nose lift tool box

穿颧穿翼鼻旁外提升工具盒



Ruitaike has reached out to senior implant expert, Mr. Gao Yanshi, to develop a three-in-one tool box specifically designed for highly challenging cheekbones surgeries. This tool is more convenient and flexible, making it more user-friendly for clinical doctors.

Zygomatic and alar nose lift tool box				
System Name	Common Name	Product Code	Specifications	Simple Diagram
3-in-1 Equipment Package	Zygomatic and alar nose lift tool box	61210000	/	
Dental Implant Wrench	Nail Holder	61210001	OSS-TS-M I	
Dental Implant Wrench	Nail Holder	61210002	OSS-TS-R II	
Dental Implant Wrench	Nail Holder	61210003	STR-BL-NC I	
Dental Implant Wrench	Nail Holder	61210004	STR-BL-RC II	
Dental Implant Wrench	Nail Holder	61210006	NBA-ATV-RP II	
Dental Implant Wrench	Nail Holder	61210005	NBA-ATV-NP II	
Screwdriver	Screwdriver	61210011	Machine OSS	
Screwdriver	Screwdriver	61041401	Machine NOB	
Screwdriver	Screwdriver	61041101	/	
Dental Implant Connector	Ratchet Wrench Adapter	61210015	Machine 4mmX4mm adapter	
Dental Implant Connector	Handheld Device Adapter	61210016	Hand 4mm x 4mm adapter	
Extender	Extender	61210021	Machine Extender	
Extender	Extender	61210023	Four directions I	
Torque Wrench	Torque Wrench	61210022	/	
Dental Implant Connector	Straight Hand	61210031	Hand 4mmX4mm-I	
Dental Measuring Rules	Measuring Rules	61210041	Single Head I	
Drill	Drill	61210051	Dental drill Φ2.0	
Drill	Drill	61210052	Dental drill Φ2.8	
Drill	Drill	61210053	Ball drill Φ2.8 forward	
Drill	Drill	61210054	Φ2.9 30-50	
Drill	Drill	61210055	Φ3.5 30-50	
Drill	Drill	61210056	Step drill Φ2.0- Φ2.5- Φ3.0- Φ3.5	
Drill	Drill	61210057	Zygomatic drill Φ3.5(60mesh)	
Drill	Drill	61210058	Zygomatic drill Φ4.0(80mesh)	
Drill	Drill	61210059	External lifting Φ8.0	
Drill	Drill	61210060	External lifting Φ4.3	
Drill	Drill	61210061	External lifting Φ3.7	

Dental surgery instrument kit

穿翼工具盒




The Ritek Dental surgical instrument Kit is specially designed for high-difficulty wing piercing surgeries, providing you with more comfortable and clinically compliant high-quality surgical instruments.

Dental surgery instrument kit				
System Name	Common Name	Product Code	Specifications	Simple Diagram
Dental Implant Wrench	Dental Implant Wrench	61111111b	DEN-SP-R L=24.8 I	
Dental Implant Wrench	Dental Implant Wrench	61111211b	OSS-TS-R L=24.8 I	
Dental Implant Wrench	Dental Implant Wrench	61111311b	STR-BL-R L=24.8 I	
Dental Implant Wrench	Dental Implant Wrench	61111401b	NOB-ATV-NP L=24.8 I	
Dental Implant Wrench	Dental Implant Wrench	61111411b	NOB-ATV-RP L=24.8 I	
Dental Implant Wrench	Dental Implant Wrench	61114411b	AB-CP-R L=24.8 I	
Dental Implant Positioner	Dental Implant Positioner	61140001b	I	
Dental Implant Connector	Dental Implant Connector	61099904b	Hand use 4mm x 4mm	
Dental Implant Connector	Dental Implant Connector	61099901b	Hand use 4mm x 4mm interface	
Dental Implant Connector	Dental Implant Connector	61099902b	For Machine Use 4mm x 4mm	
Extender	Extender	61099903b	Four directions I	
Screw Driver	Screw Driver	61041101b	STR L=30	
Screw Driver	Screw Driver	61041401b	NOB L=30	
Dental Implant Bone Expander	Dental Implant Bone Expander	61120011	Φ 2.0/Φ 3.0 L=28.8 I	
Dental Implant Bone Expander	Dental Implant Bone Expander	61120012	Φ 2.5/Φ 3.5 L=28.8 I	
Dental Implant Bone Expander	Dental Implant Bone Expander	61120013	Φ 2.8/Φ 4.0 L=28.8 I	
Dental Implant Bone Expander	Dental Implant Bone Expander	61120014	Φ 3.0/Φ 4.5 L=28.8 I	
Dental Measuring Ruler	Dental Measuring Ruler	61130001b	Double-headed I	
drill	drill	61900003	Φ 2.0 x 60	
drill	drill	61900004	Φ 2.3 x 60	
drill	drill	61900005	Φ 2.8 x 60	

Peri-implantitis Cleaning Kit

种植体周围炎清洁套装



Ritek Peri-implantitis Cleaning Universal Tool Box, fine polishing, helps you save implantitis patients in time. Excellent polishing effect, surface treatment and thread can be cleaned, ensuring the long-term stability of the implant.

Peri-implantitis Cleaning Kit				
System Name	Common Name	Product Code	Specifications	Simple Diagram
Overlook	/	61750000	Whole Set	
Pineapple Drill	Grinding Head	/	14mm	
Pineapple Drill	Grinding Head	/	23mm	
Pineapple Drill	Grinding Head	/	14mm	
Pineapple Drill	Grinding Head	/	23mm	
Pineapple Drill	Grinding Head	/	14mm	
Pineapple Drill	Grinding Head	/	23mm	
Pineapple Drill	Grinding Head	/	14mm	
Pineapple Drill	Grinding Head	/	23mm	
Titanium Brush	Pointed Spare	/	Pointed TipSpare	
Titanium Brush	Small-Head Brush	/	Small Head Brush3.0~4.0	
Titanium Brush	Large-Head Brush	/	Large-Head Brush5.0	

Mechanic Repair Tool Box

技工修复工具盒



Ritek Peri-implantitis Cleaning Universal Tool Box, fine polishing, helps you save implantitis patients in time. Excellent polishing effect, surface treatment and thread can be cleaned, ensuring the long-term stability of the implant.

Mechanic Repair Tool Box				
System Name	Common Name	Product Code	Specifications	Simple Diagram
Mechanic Repair Tool Box	Mechanic Repair Tool Box	61040000	/	
Technician Screwdriver	Technician Screwdriver	61040101	DEN	
		61040201	OSS	
		61040301	Straumann	
		61040401	TIC	
		61040501	ICX	
		61040601	Thommen	
		61040701	Noble	
		61040801	Ank	

04 Introduction to Certificates

- A type of medical device filing document - Location locator
- First class medical device filing certificate - Substitute body
- A type of medical device record certificate - transfer body
- A type of medical device record certificate - Dental implant scan body

Changzhou Retek Medical Equipment Co., Ltd. was established, and Changzhou factory was put into operation in the same year.

[illegible]

2023-2024

Class III Medical Device Registration Certificate - Personalized base and screws

Class III Medical Device Registration Certificate - Base Station System Certificate

Class III Medical Device Registration Certificate - Personalized bridge and screw

Third class medical device Registration Certificate - Single dental Abutment System Certificate

Layout overseas business; The purification workshop was put into operation

2022

Class III medical device production license

Class III Medical Device Registration Certificate - Machinable base column

A medical device production record certificate - positioning screws

A medical device production record certificate - Dental implant tool

中华人民共和国医疗器械注册证

注册证编号: 国械注准(2022)1000000	注册人名称: 常州瑞钛克医疗科技有限公司
注册人住所: 常州西太湖科技产业园兰香路8号常州石鼎瑞科技产业园7号楼二楼	生产地址: 常州西太湖科技产业园兰香路8号常州石鼎瑞科技产业园7号楼二楼
代理人名称: /	代理人住所: /
产品名称: 个性化基台及螺钉	型号、规格: 见附表
结构及组成: 该产品由基台和螺钉组成, 基台材料为钛合金(Ti6Al4V), 产品为个性化设计, 表面经物理化学处理, 具有生物相容性、耐腐蚀、强度高、稳定性好等特点; 螺钉材料为钛合金(Ti6Al4V), 产品为个性化设计, 表面经物理化学处理, 具有生物相容性、耐腐蚀、强度高、稳定性好等特点。	适用范围: 该产品为牙颌术后修复用植入到牙种植体的配套用部件, 用于连接、支持和固定修复体。
附件: 产品技术要求	其他内容: /
备注: 有效期: 自2022年7月10日至2025年6月9日	发证日期: 2022年7月10日

国家药品监督管理局

中华人民共和国医疗器械注册证

注册证编号: 国械注准(2023)0000000	注册人名称: 常州瑞钛克医疗科技有限公司
注册人住所: 常州西太湖科技产业园兰香路8号常州石鼎瑞科技产业园7号楼二楼	生产地址: 常州西太湖科技产业园兰香路8号常州石鼎瑞科技产业园7号楼二楼
代理人名称: /	代理人住所: /
产品名称: 基台系统	型号、规格: 见附表
结构及组成: 该产品由基台和螺钉组成, 基台材料为钛合金(Ti6Al4V), 产品为个性化设计, 表面经物理化学处理, 具有生物相容性、耐腐蚀、强度高、稳定性好等特点; 螺钉材料为钛合金(Ti6Al4V), 产品为个性化设计, 表面经物理化学处理, 具有生物相容性、耐腐蚀、强度高、稳定性好等特点。	适用范围: 该产品为牙颌术后修复用植入到牙种植体的配套用部件, 用于连接、支持和固定修复体。
附件: 产品技术要求	其他内容: /
备注: 有效期: 自2023年7月10日至2026年6月9日	发证日期: 2023年7月10日

国家药品监督管理局

RE-TECH

瑞钛克

At present, Re-tech products have been marketed throughout the country, with a certain brand awareness in the industry, high customer recognition, and gradually layout of overseas markets, and with many implant source manufacturers to reach cooperation.





05 售后质保

After-sales warranty

All of our products have lifetime warranty, strict selection of raw materials, precise design, precise cutting, comprehensive quality inspection, and are committed to bringing you consistent quality, exclusive customer service feedback, and timely solving your after-sales problems.



RESTITCH

由于技术和产品不断更新，外形与技术方面如有更改恕不另行通知。
未经常州瑞钛克医疗器械有限公司书面允许，不得擅自翻印、传播、
使用手册中的图片及版式或修改本手册。

本手册仅供内部人士或专业人士学习交流使用

Due to constant technology and product updates, appearance
and technical aspects are subject to change without notice.

Without the written permission of Changzhou Ruitike Medical
Equipment Co., LTD., shall not be reproduced, disseminated,

Use the images and layouts in the manual or modify this manual.

* This manual is for insiders and professionals only *

常州瑞钛克医疗器械有限公司

Changzhou Ruitike Medical Equipment Co., LTD

专业 高效 激情 创新



website: www.czruitaike.com

Tel: 0519-85769588

Address: 1st Floor, 4th Floor, Building 4, No. 16, New High Road,
Lujian District, Niutang Town, Wujin District, Changzhou